

Alaska Substance Use Dashboard Data

Figure 1. Alaska Native Tribal Health Regions




Table 1. Average Annual Population* of Alaska Native People by Tribal Region, Ages 10 Years and Older, 2010–2019

Region	Alaska Native	Alaska Non-Native
Aleutians and Pribilofs	1389	6572
Anchorage/Mat-Su	38924	299321
Arctic Slope	4525	3794
Bristol Bay	4505	1757
Copper River/Prince William Sound	1508	6820
Interior	13440	82794
Kenai Peninsula	5648	44547
Kodiak Area	1991	9524
Northwest Arctic	5129	1032
Norton Sound	6258	1660
Southeast	14242	50122
Yukon-Kuskokwim	17978	2438
Total	115537	510380

*Source: Alaska Department of Labor, Research and Analysis Section, Population Estimates, Race Alone and in Combination with Other Race(s)

Tables 2a. Number, Percentage*, and Rate† of Suicide by Race, Sex, and Age Group — Alaska, 2010–2019 (N=1,428)

Alaska Native Males

Age Group (years)	Number	%	Rate
10-19 (years)	92	20%	66.6
20-29 (years)	194	42%	163.9
30-39 (years)	80	17%	86.9
40-49 (years)	53	11%	69.7
50-59 (years)	27	6%	35.2
60-69 (years)	13	3%	26.8
70+ (years)	5	1%	RNC
Total†	464	100%	80.4

Alaska Non-Native Males

Age Group (years)	Number	%	Rate
10-19 (years)	63	6%	16.4
20-29 (years)	246	25%	53.2
30-39 (years)	174	18%	41.4
40-49 (years)	164	17%	43.4
50-59 (years)	148	15%	32.0
60-69 (years)	106	11%	31.3
70+ (years)	73	8%	41.3
Total†	974	100%	37.1

Alaska Native Females

Age Group (years)	Number	%	Rate
10-19 (years)	19	14%	14.8
20-29 (years)	52	39%	44.8
30-39 (years)	30	22%	32.8
40-49 (years)	19	14%	25.0
50-59 (years)	5	4%	RNC
60-69 (years)	7	5%	13.4
70+ (years)	2	1%	RS
Total†	134	99%*	23.2

Alaska Non-Native Females

Age Group (years)	Number	%	Rate
10-19 (years)	15	6%	4.2
20-29 (years)	39	16%	9.9
30-39 (years)	42	17%	10.8
40-49 (years)	50	20%	14.3
50-59 (years)	65	26%	15.4
60-69 (years)	31	12%	10.3
70+ (years)	8	3%	4.2
Total†	250	100%	10.4

**Percentage may not total 100% due to rounding.*

†Rate calculated per 100,000 persons aged 10 – 70+ years; RNC-Rate not calculated for ≤ 5 observations

Table 2b. Number, Percentage*, and Rate† of Suicide by Race (Alaska Native vs. Alaska Non-Native), Sex, and Age Group — Alaska, 2010–2019 (N=1,822)

Alaska Native People

Age Group (years)	Number	%	Rate	AA Rate
10-19 (years)	111	20%	41.7	
20-29 (years)	246	42%	104.9	
30-39 (years)	110	17%	59.9	
40-49 (years)	72	11%	47.4	
50-59 (years)	32	5%	20.5	
60-69 (years)	20	3%	19.9	
70+ (years)	7	1%	11.3	
Total†	598	99%*	51.8	47.4

Alaska Non-Native People

Age Group (years)	Number	%	Rate	AA Rate
10-19 (years)	78	6%	10.6	
20-29 (years)	285	23%	33.3	
30-39 (years)	216	18%	26.7	
40-49 (years)	214	17%	29.4	
50-59 (years)	213	17%	24.0	
60-69 (years)	137	11%	21.4	
70+ (years)	81	7%	22.1	
Total†	1224	99%*	24.4	24.0

Calculated Relative Risk by Race and Age Group, Alaska Native vs. Alaska Non-Native

Age Group (years)	RR	95% CI (LL, UL)	P-value§
10-19 (years)	3.91	2.92, 5.22	<0.001
20-29 (years)	3.15	2.66, 3.74	<0.001
30-39 (years)	2.34	1.86, 2.95	<0.001
40-49 (years)	1.71	1.31, 2.23	<0.001
50-59 (years)	0.85	0.59, 1.23	NSD
60-69 (years)	0.93	0.58, 1.49	NSD
70+ (years)	0.51	0.24, 1.10	NSD
Total†	2.15	1.95, 2.37	<0.001

*Percentage may not total 100% due to rounding.

†Rate calculated per 100,000 persons aged 10 – 70+ years; age adjusted (AA) rates calculated for totals using 2000 US Census data.

§ P-value calculated for comparison between Alaska Native and non-Alaska Native rates by age group.

RR-Relative Risk; LL-Lower Limit; UL-Upper Limit; NSD-No significant difference

Table 3. Number and Percentage of Suicide by Race (Alaska Native vs. Alaska Non-Native) and Method — Alaska, 2010–2019

Alaska Native People

Method	Number	%
Firearms	308	51%
H/S/S	240	40%
Poisoning	31	5%
Other/unknown/missing	19	3%

Alaska Non-Native People

Method	Number	%
Firearms	827	68%
H/S/S	228	19%
Poisoning	113	9%
Other/unknown/missing	56	5%

Table 3. Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native People) and Method,

Method	OR	95% CI (LL, UL)	P-value*
Firearms	0.51	0.42, 0.62	<0.001
H/S/S	2.93	2.36, 3.64	<0.001
Poisoning	0.54	0.36, 0.81	<0.01
Other/unknown/missing	0.68	0.52, 1.16	NSD

* P-value calculated for comparison between Alaska Native and Alaska Non-Native by method and location. H/S/S-Hanging/Strangulation/Suffocation; OR-Odds Ratio; LL-Lower Limit; UL-Upper Limit; NSD-No significant difference

Table 4a. Number* and Percentage of Suicide Decedents with Positive Alcohol and Drugs Results, by Race (Alaska Native vs. Alaska Non-Native People) and Substance Category — Alaska, 2015–2019

Alaska Native People

Method	Number Tested	Number Positive	%
Alcohol	331	172	52%
Amphetamines	330	28	8%
Antidepressants	17	6	35%
Benzodiazepines	330	17	5%
Cocaine	330	6	2%
Marijuana	330	127	38%
Opiates	330	29	9%

Alaska Non-Native People

Method	Number Tested	Number Positive	%
Alcohol	331	172	52%
Amphetamines	330	28	8%
Antidepressants	17	6	35%
Benzodiazepines	330	17	5%
Cocaine	330	6	2%
Marijuana	330	127	38%
Opiates	620	103	17%

Table 4a (continued). Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native Peoples) and Substance Category

Method	OR	95% CI (LL, UL)	P-value§
Alcohol	2.33	1.83, 3.06	<0.001
Amphetamines	0.70	0.53, 1.11	NSD
Antidepressants	0.82	0.33, 2.66	NSD
Benzodiazepines	2.52	0.80, 11.31	<0.05
Cocaine	0.74	0.38, 0.88	NSD
Marijuana	3.18	2.45, 4.33	<0.001
Opiates	0.48	0.38, 0.75	<0.001

* Drugs having fewer than 5 observations included anticonvulsants, muscle relaxants, and antipsychotics were suppressed from percent calculations.

† Blood alcohol concentration; BAC ≥ 0.08 g/dL is used as the standard for intoxication.

§ P-value calculated for comparison between Alaska Native and Alaska Non-Native groups by substance categories.
OR-Odds Ratio; LL-Lower Limit; UL-Upper Limit; NSD-No significant difference ; NSD-No significant difference

Table 4b. Number* and Percentage of Suicide Decedents with Positive Alcohol, by Race (Alaska Native vs. Alaska Non-Native Peoples) and Blood Alcohol Concentration Results — Alaska, 2015–2019

Alaska Native People

Characteristic	Number	%
Suspected Alcohol Use When Injured	143	41%
Alcohol – Positive Test Result	172	52%
BAC [†] <0.08 g/dL	26	15%
BAC [†] ≥0.08 g/dL	145	84%
BAC not analyzed*	1	1%

*Samples not analyzed due to insufficient quantity or quality

Alaska Non-Native People

Characteristic	Number	%
Suspected Alcohol Use When Injured	149	23%
Alcohol – Positive Test Result	196	32%
BAC [†] <0.08 g/dL	60	31%
BAC [†] ≥0.08 g/dL	135	69%
BAC not analyzed*	1	1%

*Samples not analyzed due to insufficient quantity or quality

Calculated Relative Risk by Race (Alaska Native vs. Alaska Non-Native Peoples) and Substance Category,

Characteristic	OR	95% CI (LL, UL)	P-value*
Suspected Alcohol Use When Injured	2.58	2.03, 3.42	<0.001
Alcohol – Positive Test Result	2.33	1.83, 3.06	<0.001
BAC [†] <0.08 g/dL	0.43	0.31, 0.69	<0.001
BAC [†] ≥0.08 g/dL	2.34	1.46, 3.81	<0.001

*P-value calculated for comparison between Alaska Native and Alaska Non-Native groups by substance categories. OR-Odds Ratio; LL-Lower Limit; UL-Upper Limit.

Table 5a. Number* and Percentage of Suicides, by Race (Alaska Native vs. Alaska Non-Native Peoples), Sex, Associated Circumstances Category and Characteristics — Alaska, 2010–2019

Note: Frequency of known circumstances is used to calculate percentage for all the following characteristics

Cases with Known Circumstances

Alaska Native Males

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	444	96%

Alaska Non-Native Males

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	133	99%

Alaska Native Females

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	935	96%

Alaska Non-Native Females

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	249	99%

Mental Health Characteristics

Alaska Native Males

Mental Health Characteristics	Number	%
Current depressed mood	152	34%
Current mental health problem	137	31%
Current treatment for mental health problem	63	14%
History of treatment for mental illness	129	29%

Mental Health Characteristics (continued)

Alaska Non-Native Males

Mental Health Characteristics	Number	%
Current depressed mood	63	47%
Current mental health problem	70	53%
Current treatment for mental health problem	38	29%
History of treatment for mental illness	61	46%

Alaska Native Females

Mental Health Characteristics	Number	%
Current depressed mood	398	43%
Current mental health problem	357	38%
Current treatment for mental health problem	185	20%
History of treatment for mental illness	311	33%

Alaska Non-Native Females

Mental Health Characteristics	Number	%
Current depressed mood	120	48%
Current mental health problem	162	65%
Current treatment for mental health problem	116	46%
History of treatment for mental illness	157	63%

Problem with Alcohol or Other Substance

Alaska Native Males

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	138	31%
Other substance problem	80	18%
Alcohol use suspected	228	51%

Alaska Non-Native Males

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	51	38%
Other substance problem	32	24%
Alcohol use suspected	66	50%

Alaska Native Females

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	209	22%
Other substance problem	184	20%
Alcohol use suspected	286	31%

Alaska Non-Native Females

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	48	19%
Other substance problem	56	22%
Alcohol use suspected	56	22%

Relationship Characteristics

Alaska Native Males

Relationship Characteristics	Number	%
Intimate partner problem	186	42%
Crisis related to intimate partner problem	71	16%
Other relationship problem (non-intimate)	25	6%
Perpetrator of interpersonal violence, past month	32	7%
Victim of interpersonal violence, past month	10	2%
Recent suicide of family or friend	41	9%
Crisis related to suicide of friend or family	14	3%
Other death of friend or family	56	13%

Alaska Non-Native Males

Relationship Characteristics	Number	%
Intimate partner problem	72	54%
Crisis related to intimate partner problem		
Other relationship problem (non-intimate)	13	10%
Perpetrator of interpersonal violence, past month	4	3%
Victim of interpersonal violence, past month	10	8%
Recent suicide of family or friend	11	8%
Crisis related to suicide of friend or family	6	5%
Other death of friend or family	14	11%

Relationship Characteristics (continued)**Alaska Native Females**

Relationship Characteristics	Number	%
Intimate partner problem	343	37%
Crisis related to intimate partner problem	121	13%
Other relationship problem (non-intimate)	36	4%
Perpetrator of interpersonal violence, past month	45	5%
Victim of interpersonal violence, past month	5	1%
Recent suicide of family or friend	29	3%
Crisis related to suicide of friend or family	9	1%
Other death of friend or family	64	7%

Alaska Non-Native Females

Relationship Characteristics	Number	%
Intimate partner problem	84	34%
Crisis related to intimate partner problem	19	8%
Other relationship problem (non-intimate)	13	5%
Perpetrator of interpersonal violence, past month	3	1%
Victim of interpersonal violence, past month	5	2%
Recent suicide of family or friend	4	2%
Crisis related to suicide of friend or family	1	<1%
Other death of friend or family	19	8%

Life Stressor Characteristics

Alaska Native Males

Life Stressor Characteristics	Number	%
Argument	117	26%
Any recent crisis in past 2 weeks	174	39%
Physical health problem	47	11%
Crisis related to physical health problem	10	2%
Eviction or loss of home	12	3%
Family relationship	57	13%
Financial problem	20	5%
Job problem	36	8%
Recent criminal legal problem	79	18%
Other legal problem	15	3%
Criminal crisis	29	7%
School problem	17	4%

Alaska Non-Native Males

Life Stressor Characteristics	Number	%
Argument	43	32%
Any recent crisis in past 2 wks	52	39%
Physical health problem	24	18%
Crisis related to physical health problem	4	3%
Eviction or loss of home	3	2%
Family relationship	15	11%
Financial problem	4	3%
Job problem	2	2%
Recent criminal legal problem	9	7%
Other legal problem	3	2%
Criminal crisis	3	2%
School problem	3	2%

Life Stressor Characteristics (continued)

Alaska Native Females

Life Stressor Characteristics	Number	%
Argument	150	16%
Any recent crisis in past 2 wks	388	41%
Physical health problem	256	27%
Crisis related to physical health problem	68	7%
Eviction or loss of home	56	6%
Family relationship	106	11%
Financial problem	99	11%
Job problem	165	18%
Recent criminal legal problem	155	17%
Other legal problem	43	5%
Criminal crisis	60	6%
School problem	19	2%

Alaska Non-Native Females

Life Stressor Characteristics	Number	%
Argument	36	14%
Any recent crisis in past 2 wks	74	30%
Physical health problem	83	33%
Crisis related to physical health problem	16	6%
Eviction or loss of home	7	3%
Family relationship	31	12%
Financial problem	27	11%
Job problem	18	7%
Recent criminal legal problem	16	6%
Other legal problem	19	8%
Criminal crisis	3	1%
School problem	7	3%

Suicide Event

Alaska Native Males

Suicide Event	Number	%
Left a suicide note	82	18%
Disclosed intent to commit suicide	161	36%
History of previous suicide attempts	104	23%
History of suicide thoughts	170	38%

Alaska Non-Native Males

Suicide Event	Number	%
Left a suicide note	36	27%
Disclosed intent to commit suicide	51	38%
History of previous suicide attempts	44	33%
History of suicide thoughts	66	50%

Alaska Native Females

Suicide Event	Number	%
Left a suicide note	330	35%
Disclosed intent to commit suicide	337	36%
History of previous suicide attempts	145	16%
History of suicide thoughts	306	33%

Suicide Event (continued)

Alaska Non-Native Females

Suicide Event	Number	%
Left a suicide note	121	48%
Disclosed intent to commit suicide	96	38%
History of previous suicide attempts	104	42%
History of suicide thoughts	109	44%

Table 5b. Number* and Percentage of Suicides, by Race (Alaska Native vs. Alaska Non-Native), Associated Circumstances Category and Characteristics — Alaska, 2010–2019

Note: Frequency of known circumstances is used to calculate percentage for all the following characteristics

Cases with Known Circumstances

Alaska Native People

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	577	96%

Alaska Non-Native People

Associated Circumstances	Number	%
Cases with Known Circumstances / Characteristics	1184	97%

Calculated Odds Ratio by Race (Alaska Native vs. Alaska Non-Native) and Known Characteristics/Circumstances,

Associated Circumstances	OR	95% CI (LL, UL)	P-value *
Cases with Known Circumstances / Characteristics	1.00	0.99, 1.02	NSD

Mental Health Characteristics

Alaska Native People

Mental Health Characteristics	Number	%
Current depressed mood	215	37%
Current mental health problem	207	36%
Current treatment for mental health problem	101	18%
History of treatment for mental illness	190	33%

Mental Health Characteristics (continued)

Alaska Non-Native People

Mental Health Characteristics	Number	%
Current depressed mood	518	42%
Current mental health problem	519	42%
Current treatment for mental health problem	301	25%
History of treatment for mental illness	468	38%

Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native) and Substance Category,

Mental Health Characteristics	OR	95% CI (LL, UL)	P-value*
Current depressed mood	0.76	0.62, 0.93	<0.01
Current mental health problem	0.72	0.59, 0.89	<0.01
Current treatment for mental health problem	0.63	0.49, 0.81	<0.001
History of treatment for mental illness	0.76	0.61, 0.93	<0.01

Problem with Alcohol or Other Substance

Alaska Native People

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	189	33%
Other substance problem	112	19%

Alaska Non-Native People

Problem with Alcohol or Other Substance	Number	%
Alcohol problem and dependence	257	21%
Other substance problem	240	20%

Problem with Alcohol or Other Substance (continued)

Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native) and Substance Category,

Problem with Alcohol or Other Substance	OR	95% CI (LL, UL)	P-value*
Alcohol problem and dependence	1.75	1.40, 2.19	<0.001
Other substance problem	0.95	0.74, 1.22	NSD

Relationship Characteristics

Alaska Native People

Relationship Characteristics	Number	%
Intimate partner problem	258	45%
Crisis related to intimate partner problem	93	16%
Other relationship problem (non-intimate)	38	7%
Perpetrator of interpersonal violence, past month	36	6%
Victim of interpersonal violence, past month	20	3%
Victim of interpersonal violence, past month	52	9%
Recent suicide of family or friend	20	3%
Crisis related to suicide of friend or family	70	12%
Other death of friend or family	258	45%
Crisis related to death of friend or family	12	2%

Relationship Characteristics (continued)

Alaska Non-Native People

Relationship Characteristics	Number	%
Intimate partner problem	427	35%
Crisis related to intimate partner problem	140	11%
Other relationship problem (non-intimate)	49	4%
Perpetrator of interpersonal violence, past month	48	4%
Victim of interpersonal violence, past month	10	1%
Victim of interpersonal violence, past month	33	3%
Recent suicide of family or friend	10	1%
Crisis related to suicide of friend or family	83	7%
Other death of friend or family	427	35%
Crisis related to death of friend or family	18	1%

Relationship Characteristics (continued)**Calculated Relative Risk by Race (Alaska Native vs. Alaska Non-Native) and Substance Category,**

Relationship Characteristics	OR	95% CI (LL, UL)	P-value*
Intimate partner problem	1.44	1.17, 1.76	<0.001
Crisis related to intimate partner problem	1.42	1.07, 1.89	<0.05
Other relationship problem (non-intimate)	1.64	1.06, 2.53	<0.05
Perpetrator of interpersonal violence, past month	1.58	1.02, 2.47	<0.05
Victim of interpersonal violence, past month	4.23	1.97, 9.09	<0.001
Victim of interpersonal violence, past month	3.46	2.21, 5.42	<0.001
Recent suicide of family or friend	4.19	1.95, 9.01	<0.001
Crisis related to suicide of friend or family	1.83	0.43, 0.78	<0.001
Other death of friend or family	1.44	1.17, 1.76	<0.001
Crisis related to death of friend or family	1.37	0.66, 2.86	NSD

Life Stressor Characteristics

Alaska Native People

Life Stressor Characteristics	Number	%
Argument	160	28%
Any recent crisis in past 2 wks	210	36%
Physical health problem	71	12%
Crisis related to physical health problem	14	2%
Eviction or loss of home	15	3%
Family relationship	72	12%
Financial problem	24	4%
Job problem	38	7%
Recent criminal legal problem	88	15%
Other legal problem	18	3%
Criminal crisis	32	6%
School problem	20	3%

Alaska Non-Native People

Life Stressor Characteristics	Number	%
Argument	186	15%
Any recent crisis in past 2 wks	424	35%
Physical health problem	339	28%
Crisis related to physical health problem	84	7%
Eviction or loss of home	63	5%
Family relationship	137	11%
Financial problem	126	10%
Job problem	183	15%
Recent criminal legal problem	171	14%
Other legal problem	62	5%
Criminal crisis	63	5%
School problem	26	2%

Life Stressor Characteristics (continued)

Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native) and Substance Category,

Life Stressor Characteristics	OR	95% CI (LL, UL)	P-value*
Argument	2.05	1.60, 2.63	<0.001
Any recent crisis in past 2 wks	1.59	1.05, 1.18	NSD
Physical health problem	0.35	0.27, 0.47	<0.001
Crisis related to physical health problem	0.32	0.18, 0.58	<0.001
Eviction or loss of home	0.48	0.27, 0.84	<0.01
Family relationship	1.09	0.81, 1.48	NSD
Financial problem	0.37	0.23, 0.57	<0.001
Job problem	0.39	0.27, 0.56	<0.001
Recent criminal legal problem	1.07	0.81, 1.42	NSD
Other legal problem	0.58	0.34, 1.00	<0.05
Criminal crisis	1.04	0.67, 1.61	NSD
School problem	1.60	0.88, 2.89	NSD

Suicide Event

Alaska Native People

Suicide Event	Number	%
Left a suicide note	118	20%
Disclosed intent to commit suicide	212	37%
History of previous suicide attempts	148	26%
History of suicide thoughts	236	41%

Suicide Event (continued)**Alaska Non-Native People**

Suicide Event	Number	%
Left a suicide note	451	37%
Disclosed intent to commit suicide	433	35%
History of previous suicide attempts	249	20%
History of suicide thoughts	415	34%

Calculated Odds Ratios by Race (Alaska Native vs. Alaska Non-Native) and Substance Category,

Suicide Event	OR	95% CI (LL, UL)	P-value*
Left a suicide note	0.42	0.34, 0.54	<0.001
Disclosed intent to commit suicide	1.01	0.82, 1.23	NSD
History of previous suicide attempts	1.30	1.03, 1.64	<0.05
History of suicide thoughts	1.28	1.04, 1.57	<0.05

**P-value calculated for comparison between Alaska Native and non-Alaska Native rates by age group.*

OR-Odds Ratio; LL-Lower Limit; UL-Upper Limit; NSD-No significant difference.

Note: Changes to counties (boroughs) or equivalent are located on the [Census website](#).

Census Area/Borough	FIPS Code	Tribal Health Region
Aleutians East Borough	013	Aleutians and Pribilofs
Aleutians West Census Area	016	Aleutians and Pribilofs
Anchorage Municipality	20	Anchorage
Matanuska-Susitna Borough	170	Matanuska-Susitna
North Slope Borough	185	Arctic Slope
Dillingham Census Area	70	Bristol Bay
Lake and Peninsula Borough	164	Bristol Bay
Bristol Bay Borough	60	Bristol Bay
Chugach Census Area	61	Copper River/Prince William Sound
Copper River Census Area	63	Copper River/Prince William Sound
Formerly Valdez-Cordova	261	Copper River/Prince William Sound
Denali Borough	68	Interior
Fairbanks North Star Borough	90	Interior
Southeast Fairbanks Census Area	240	Interior
Yukon-Koyukuk Census Area	290	Interior
Kenai Peninsula Borough	122	Kenai Peninsula
Kodiak Island Borough	150	Kodiak Area
Northwest Arctic Borough	188	Northwest Arctic
Nome Census Area	180	Norton Sound
Yakutat City & Borough	282	Southeast
Skagway Municipality	230	Southeast
Hoonah-Angoon Census Area	105	Southeast
Haines Borough	100	Southeast
Juneau City & Borough	110	Southeast
Sitka City and Borough	220	Southeast
Wrangell City and Borough	275	Southeast
Petersburg Borough	195	Southeast
Prince of Wales-Hyder Census Area	198	Southeast
Ketchikan Gateway Borough	130	Southeast
Bethel Census Area	50	Yukon-Kuskokwim
Kusilvak Census Area	158	Yukon-Kuskokwim
Formerly Wade Hampton	270	Yukon-Kuskokwim

Note: Changes to counties (boroughs) or equivalent are located on the [Census website](#).