

Division of Public Health
Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts and Figures

Drug Overdose Mortality, Alaska Residents, 2011-2015 Number and Rate of Deaths by Year

Note: Drug overdoses are a subset of drug-induced deaths as reported in the 2015 Vital Statistics Annual Report

| | | 2011 | |] | 2012 | | | 2013 | | | 2014 | | | 2015 | |
|-----------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------|-----------|-------------------|-------------------|
| | | Age- | | | Age- | | | Age- | | | Age- | | | Age- | |
| 0 of Doodh1 | Number | Adjusted | Crude | Number | Adjusted | Crude | Number | Adjusted | Crude | Number | Adjusted | Crude | Number | Adjusted | Crude |
| Cause of Death | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate² | of Deaths | Rate ² | Rate ² |
| Drug Overdoses | 107 | 14.2 | 14.8 | 128 | 17.3 | 17.5 | 105 | 14.1 | 14.3 | 124 | 16.6 | 16.8 | 121 | 15.9 | 16.4 |
| Opioid overdoses | 66 | 8.7 | 9.1 | 81 | 10.9 | 11.1 | 69 | 9.1 | 9.4 | 77 | 10.7 | 10.4 | 86 | 11.1 | 11.7 |
| Opioid - Illicit | 15 | 2.0 | 2.1 | 32 | 4.3 | 4.4 | 32 | 4.2 | 4.3 | 32 | 4.1 | 4.3 | 41 | 5.3 | 5.6 |
| Opioid - prescription | 52 | 6.9 | 7.2 | 53 | 7.3 | 7.2 | 50 | 6.7 | 6.8 | 55 | 7.6 | 7.5 | 67 | 8.8 | 9.1 |

Footnotes:

Drug overdose deaths, defined as those with underlying cause of death as: Unintentional drug poisoning (X40-44), Suicide drug poisoning (X60-64), Homicide drug poisoning (X85), and drug poisoning of undetermined intent (Y10-Y14)

Opioid overdose deaths are overdose deaths that also had a contributory cause of death as opium (T40.0), heroin (T40.1), natural and semisyntheic opioids (T40.2), methadone (T40.3), synthetic Opioid other than methadone (T40.4) or other and unspecified narcotics (T40.6)

Opioid Illicit: T40.0,T40.1,T40.6 Opioid Prescription: T40.2-T40.4

2. All rates are per 100,000. Age-adjusted rates are per 100,000 adjusted to U.S. year 2000 standard population. When comparing rates for different populations, age-adjusted rates should be used.

Source: Alaska Health Analytics & Vital Records

^{1.} ICD-10 Codes (as coded in the International Classification of Diseases, 10th Revision)



Division of Public Health

Department of Health and Social Services





Alaska Facts and Figures

Drug Overdose Mortality, Alaska Residents, 2011-2015 Number and Rate of Deaths by Year and Sex

Note: Drug overdoses are a subset of drug-induced deaths as reported in the 2015 Vital Statistics Annual Report

| | | | 2011 | | | 2012 | | | 2013 | | | 2014 | | | | |
|--------|-----------------------------|-----------|-------------------|-------------------|-----------|-------------------|-------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|
| | | | Age- | | | Age- | | | Age- | | | Age- | | | | |
| | | Number | Adjusted | Crude | Number | Adjusted | Crude | Number | Adjusted | Crude | Number | Adjusted | Crude | | Adjusted | Crude |
| Sex | Cause of Death ¹ | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² |
| Female | Drug Overdoses | 43 | 12.2 | 12.4 | 55 | 15.8 | 15.6 | 34 | 9.6 | 9.6 | 53 | 14.6 | 14.9 | 45 | 12.6 | 12.7 |
| | Opioid overdoses | 21 | 5.8 | 6.0 | 31 | 8.8 | 8.8 | 21 | 5.7 | 5.9 | 31 | 8.8 | 8.7 | 32 | 8.7 | 9.0 |
| | Opioid - Illicit | 5 | ** | ** | 13 | 3.8* | 3.7* | 8 | 2.1* | 2.2* | 9 | 2.4* | 2.5* | 12 | 3.3* | 3.4* |
| | Opioid - prescription | 16 | 4.3* | 4.6* | 22 | 6.4 | 6.2 | 14 | 3.8* | 3.9* | 27 | 7.6 | 7.6 | 26 | 7.2 | 7.3 |
| Male | Drug Overdoses | 64 | 16.1 | 17.0 | 73 | 19.2 | 19.3 | 70 | 18.1 | 18.4 | 71 | 18.6 | 18.6 | 76 | 18.9 | 19.9 |
| | Opioid overdoses | 45 | 11.4 | 12.0 | 50 | 12.9 | 13.2 | 48 | 12.2 | 12.6 | 46 | 12.4 | 12.0 | 54 | 13.4 | 14.1 |
| | Opioid - Illicit | 10 | 2.4* | 2.7* | 19 | 4.7* | 5.0* | 24 | 6.0 | 6.3 | 23 | 5.7 | 6.0 | 29 | 7.1 | 7.6 |
| | Opioid - prescription | 36 | 9.2 | 9.6 | 31 | 8.3 | 8.2 | 36 | 9.2 | 9.5 | 28 | 7.7 | 7.3 | 41 | 10.3 | 10.7 |

Footnotes:

Drug overdose deaths, defined as those with underlying cause of death as: Unintentional drug poisoning (X40-44), Suicide drug poisoning (X60-64), Homicide drug poisoning (X85), and drug poisoning of undetermined intent (Y10-Y14)

Opioid overdose deaths are overdose deaths that also had a contributory cause of death as opium (T40.0), heroin (T40.1), natural and semisyntheic opioids (T40.2), methadone (T40.3), synthetic Opioid other than methadone (T40.4) or other and unspecified narcotics (T40.6)

Opioid Illicit: T40.0,T40.1,T40.6
Opioid Prescription: T40.2-T40.4

2. All rates are per 100,000. Age-adjusted rates are per 100,000 adjusted to U.S. year 2000 standard population. When comparing rates for different populations, age-adjusted rates should be used.

Source: Alaska Health Analytics & Vital Records

^{*}Rates base on fewer than 20 occurrences are statistically unreliable and should be used with caution

^{**}Rates based on fewer than 6 occurrences are not reported.

^{1.} ICD-10 Codes (as coded in the International Classification of Diseases, 10th Revision)



Division of Public Health
Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts and Figures

Drug Overdose Mortality, Alaska Residents, 2011-2015 Number and Rate of Deaths by Year and Race

Note: Drug overdoses are a subset of drug-induced deaths as reported in the 2015 Vital Statistics Annual Report

| | oo are a cascer or aray maa | | 2011 | | | 2012 | | | 2013 | | | 2014 | | | 2015 | |
|--------------------------|-----------------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|
| | | | Age- | | | Age- | | | Age- | | | Age- | | | Age- | |
| | | Number | Adjusted | Crude |
| Race | Cause of Death ¹ | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² |
| White | Drug Overdoses | 89 | 15.9 | 17.3 | 93 | 17.5 | 17.9 | 79 | 14.6 | 15.2 | 89 | 16.2 | 17.2 | 74 | 13.6 | 14.3 |
| | Opioid overdoses | 58 | 10.5 | 11.3 | 66 | 12.4 | 12.7 | 56 | 10.2 | 10.8 | 56 | 10.7 | 10.8 | 59 | 10.7 | 11.4 |
| | Opioid - Illicit | 13 | 2.4* | 2.5* | 29 | 5.5 | 5.6 | 27 | 4.8 | 5.2 | 20 | 3.5 | 3.9 | 28 | 5.2 | 5.4 |
| | Opioid - prescription | 46 | 8.3 | 8.9 | 41 | 7.8 | 7.9 | 39 | 7.3 | 7.5 | 44 | 8.3 | 8.5 | 44 | 8.1 | 8.5 |
| American | | | 44.04 | 10.1 | | | | | 40.04 | 45.44 | | 05.4 | 0.1.0 | | | 24.2 |
| Indian/Alaska Native | Drug Overdoses | 16 | 14.3* | 13.1* | 27 | 24.4 | 22.0 | 19 | 18.2* | 15.4* | 26 | 25.1 | 21.0 | 39 | 34.2 | 31.3 |
| | Opioid overdoses | 8 | 6.3 | 6.5 | 12 | 10.9* | 9.8* | 11 | 9.7* | 89* | 16 | 14.9* | 12.9* | 23 | 19.1 | 18.5 |
| | Opioid - Illicit | 2 | ** | ** | 2 | ** | ** | 5 | ** | ** | 10 | 8.6* | 8.1* | 10 | 7.8* | 7.0* |
| | Opioid - prescription | 6 | 4.6* | 4.9* | 10 | 9.2* | 81* | 9 | 7.9* | 7.3* | 8 | 7.8* | 6.4* | 21 | 17.7 | 16.9 |
| All Other Race Groups | Drug Overdoses | 2 | ** | ** | 8 | 9.2* | 8.8* | 7 | 7.2* | 7.5* | 9 | 8.7* | 9.5* | 8 | 8.4* | 8.2* |
| | Opioid overdoses | 0 | ** | ** | | | ** | 2 | ** | ** | 5 | ** | ** | | ** | ** |
| | Opioid - Illicit | 0 | ** | ** | 1 | ** | ** | 0 | ** | ** | 2 | ** | ** | 3 | ** | ** |
| | Opioid - prescription | 0 | ** | ** | 2 | ** | ** | 2 | ** | ** | 3 | ** | ** | 2 | ** | ** |

Footnotes:

Drug overdose deaths, defined as those with underlying cause of death as: Unintentional drug poisoning (X40-44), Suicide drug poisoning (X60-64), Homicide drug poisoning (X85), and drug poisoning of undetermined intent (Y10-Y14)

Opioid overdose deaths are overdose deaths that also had a contributory cause of death as opium (T40.0), heroin (T40.1), natural and semisyntheic opioids (T40.2), methadone (T40.3), synthetic Opioid other than methadone (T40.4) or other and unspecified narcotics (T40.6)

Opioid Illicit: T40.0,T40.1,T40.6 **Opioid Prescription**: T40.2-T40.4

2. All rates are per 100,000. Age-adjusted rates are per 100,000 adjusted to U.S. year 2000 standard population. When comparing rates for different populations, age-adjusted rates should be used.

Source: Alaska Health Analytics & Vital Records

^{*}Rates base on fewer than 20 occurrences are statistically unreliable and should be used with caution

^{**}Rates based on fewer than 6 occurrences are not reported.

^{1.} ICD-10 Codes (as coded in the International Classification of Diseases, 10th Revision)



Division of Public Health
Department of Health and Social Services
E-mail: HealthAnalytics@alaska.gov



Alaska Facts and Figures

Drug Overdose Mortality, Alaska Residents, 2011-2015 Number and Rate of Deaths by Year and Age

Note: Drug overdoses are a subset of drug-induced deaths as reported in the 2015 Vital Statistics Annual Report

| | | 20 | 11 | 20 | 12 | 201 | 13 | 201 | 14 | 201 | 15 |
|-------------|-----------------------------|------------------|----------------------------|------------------|----------------------------|------------------|----------------------------|---------------------|----------------------------|---------------------|----------------------------|
| Age Group | Cause of Death ¹ | Number of Deaths | Crude Rate ² | Number of Deaths | Crude Rate ² | Number of Deaths | Crude Rate ² | Number of Deaths | Crude Rate ² | Number of Deaths | Crude Rate ² |
| 0-14 Years | Drug Overdoses | 2 | ** | 0 | ** | 0 | ** | 0 | ** | 1 | ** |
| | Opioid overdoses | 1 | ** | 0 | ** | 0 | ** | 0 | ** | 1 | ** |
| | Opioid - Illicit | 0 | ** | 0 | ** | 0 | ** | 0 | ** | 0 | ** |
| | Opioid - prescription | 1 | ** | 0 | ** | 0 | ** | 0 | ** | 1 | ** |
| 15-24 Years | Drug Overdoses | 8 | 7.6* | 14 | 13.3* | 4 | ** | 14 | 13.6* | 17 | 16.8* |
| | Opioid overdoses | 6 | 5.7* | 13 | 12.3* | 1 | ** | 12 | 11.6* | 15 | 14.9* |
| | Opioid - Illicit | 2 | ** | 6 | 5.7* | 0 | ** | 7 | 6.8* | 6 | 5.9* |
| | Opioid - prescription | 5 | ** | 8 | 7.6* | 1 | ** | 5 | ** | 12 | 11.9* |
| 25-34 years | Drug Overdoses | 22 | 20.4 | 35 | 31.7 | 24 | 21.5 | 27 | 23.7 | 33 | 28.6 |
| | Opioid overdoses | 14 | 13.0* | 25 | 22.7 | 17 | 15.3* | 17 | 15.0* | 24 | 20.8 |
| | Opioid - Illicit | 4 | ** | 11 | 10.0* | 10 | 9.0* | 9 | 7.9* | 17 | 14.8* |
| | Opioid - prescription | 10 | 9.3* | 15 | 13.6* | 11 | 9.9* | 12 | 10.6* | 15 | 13.0* |
| 35-44 Years | Drug Overdoses | 25 | 27.2 | 26 | 28.2 | 31 | 33.6 | 32 | 34.8 | 20 | 21.8 |
| | Opioid overdoses | 14 | 15.2* | 14 | 15.2* | 18 | 19.5* | 23 | 25.0 | 13 | 14.2* |
| | Opioid - Illicit | 4 | ** | 4 | ** | 8 | 8.7* | 6 | 6.5* | 6 | 6.5* |
| | Opioid - prescription | 10 | 10.9* | 10 | 10.8* | 14 | 15.2* | 17 | 18.5* | 11 | 12.0* |
| 45-54 Years | Drug Overdoses | 31 | 28.5 | 34 | 31.9 | 22 | 21.2 | 24 | 23.8 | 25 | 25.5 |
| | Opioid overdoses | 21 | 19.3 | 17 | 15.9* | 15 | 14.4* | 10 | 9.9* | 15 | 15.3* |
| | Opioid - Illicit | 1 | ** | 7 | 6.6* | 7 | 6.7* | 3 | ** | 6 | 6.1* |
| | Opioid - prescription | 20 | 18.4 | 11 | 10.3* | 10 | 9.6* | 8 | 7.9 | 14 | 14.3* |
| 55-64 Years | Drug Overdoses | 18 | 19.7* | 16 | 17.0* | 22 | 22.6 | 24 | 24.5 | 19 | 19.2* |
| | Opioid overdoses | 10 | 10.9* | 10 | 10.6* | 17 | 14.5* | 12 | 12.3* | 14 | 14.2* |
| | Opioid - Illicit | 4 | ** | 3 | ** | 7 | 7.2* | 7 | 7.1* | 5 | ** |
| | Opioid - prescription | 6 | 6.6* | 7 | 7.4* | 13 | 13.4* | 10 | 10.2* | 10 | 10.1* |
| 65+ Years | Drug Overdoses | 1 | ** | 3 | ** | 2 | ** | 3 | ** | 6 | 8.0* |
| | Opioid overdoses | 0 | ** | 2 | ** | 1 | ** | 3 | ** | 4 | ** |
| | Opioid - Illicit | 0 | ** | 1 | ** | 0 | ** | 0 | ** | 1 | ** |
| | Opioid - prescription | 0 | ** | 2 | ** | 1 | ** | 3 | ** | 4 | ** |

Footnotes:

Drug overdose deaths, defined as those with underlying cause of death as: Unintentional drug poisoning (X40-44), Suicide drug poisoning (X60-64), Homicide drug poisoning (X85), and drug poisoning of undetermined intent (Y10-Y14)

^{*}Rates base on fewer than 20 occurrences are statistically unreliable and should be used with caution

^{**}Rates based on fewer than 6 occurrences are not reported.

^{1.} ICD-10 Codes (as coded in the International Classification of Diseases, 10th Revision)

Opioid overdose deaths are overdose deaths that also had a contributory cause of death as opium (T40.0), heroin (T40.1), natural and semisyntheic opioids (T40.2), methadone (T40.3), synthetic Opioid other than methadone (T40.4) or other and unspecified narcotics (T40.6)

Opioid Illicit: T40.0,T40.1,T40.6
Opioid Prescription: T40.2-T40.4
2. All rates are per 100,000 population

Source: Alaska Health Analytics & Vital Records



Division of Public Health
Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts and Figures

Drug Overdose Mortality, Alaska Residents, 2011-2015 Number and Rate of Deaths by Year and Public Health Region

Note: Drug overdoses are a subset of drug-induced deaths as reported in the 2015 Vital Statistics Annual Report

| | | | 2011 | | | 2012 | | | 2013 | | | 2014 | | | 2015 | |
|-----------------------|-----------------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|-----------|-------------------|-------------------|
| | | | Age- | | | Age- | | | Age- | | | Age- | | | Age- | |
| | 4 | Number | Adjusted | Crude | 1 | Adjusted | Crude | | Adjusted | Crude | | Adjusted | Crude | Number | Adjusted | Crude |
| Region | Cause of Death ¹ | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² | of Deaths | Rate ² | Rate ² |
| Anchorage | Drug Overdoses | 51 | 17.0 | 17.2 | 61 | 20.1 | 20.4 | 49 | 15.8 | 16.3 | 57 | 18.9 | 19.0 | 57 | 17.9 | 19.1 |
| | Opioid overdoses | 31 | 10.2 | 10.5 | 34 | 10.6 | 11.4 | 34 | 10.8 | 11.3 | 32 | 11.0 | 10.7 | 38 | 11.6 | 12.7 |
| | Opioid - Illicit | 6 | 1.8* | 2.0* | 16 | 4.9* | 5.4* | 19 | 5.7* | 6.3* | 16 | 5.1* | 5.3* | 21 | 6.3 | 7.0 |
| | Opioid - prescription | 25 | 8.4 | 8.4 | 19 | 5.9* | 6.4* | 21 | 6.8 | 7.0 | 19 | 6.6* | 6.3* | 26 | 8.1 | 8.7 |
| Gulf Coast | Drug Overdoses | 11 | 14.1* | 13.7* | 14 | 18.2* | 17.4* | 12 | 16.6* | 14.9* | 13 | 17.9* | 16.1* | 19 | 23.3* | 23.4* |
| | Opioid overdoses | 5 | ** | ** | 11 | 14.5* | 13.6* | 7 | 9.7 | 8.7 | 11 | 15.5* | 136* | 15 | 19.0* | 18.5* |
| | Opioid - Illicit | 2 | ** | ** | 4 | ** | ** | 3 | ** | ** | 4 | ** | ** | 7 | 8.3* | 8.6* |
| | Opioid - prescription | 3 | ** | ** | 8 | 10.5* | 9.9* | 6 | 8.0* | 7.5* | 8 | 11.7* | 9.9* | 14 | 18.3* | 17.3* |
| Interior | Drug Overdoses | 12 | 10.5* | 10.6* | 10 | 8.8* | 8.7* | 15 | 13.6* | 13.1* | 18 | 15.0* | 15.9* | 12 | 11.1* | 10.6* |
| | Opioid overdoses | 7 | 6.0* | 6.2* | 4 | ** | ** | 11 | 9.3* | 9.6* | 10 | 8.8* | 8.9* | 6 | 5.0* | 5.3* |
| | Opioid - Illicit | 1 | ** | ** | 1 | ** | ** | 2 | ** | ** | 3 | ** | ** | 3 | ** | ** |
| | Opioid - prescription | 6 | 4.8* | 5.3* | 3 | ** | ** | 9 | 7.8* | 7.9* | 7 | 6.5* | 6.2* | 4 | ** | ** |
| Matanuska- Susitna | Drug Overdoses | 19 | 19.5* | 20.7* | 24 | 25.9 | 25.6 | 12 | 11.2* | 12.5* | 19 | 19.4* | 19.3* | 14 | 14.4* | 14.0* |
| | Opioid overdoses | 14 | 14.2* | 15.3* | 18 | 19.8* | 19.2* | 8 | 7.4* | 8.3* | 11 | 11.4* | 11.2* | 11 | 11.2* | 11.0* |
| | Opioid - Illicit | 3 | | ** | 5 | ** | ** | 3 | ** | ** | 4 | ** | ** | 2 | ** | ** |
| | Opioid - prescription | 12 | 12.1* | 13.1* | 15 | 16.3* | 16.0* | 6 | 5.4* | 6.2* | 9 | 9.0* | 9.1* | 11 | 11.2* | 11.0* |
| Northern | Drug Overdoses | 0 | ** | ** | 3 | ** | ** | 2 | ** | ** | 2 | ** | ** | 2 | ** | ** |
| | Opioid overdoses | 0 | ** | ** | 1 | ** | ** | 2 | ** | ** | 2 | ** | ** | 2 | ** | ** |
| | Opioid - Illicit | 0 | ** | ** | 1 | ** | ** | 0 | ** | ** | 0 | ** | ** | 0 | ** | ** |

| | Opioid - prescription | 0 | ** | ** | 0 | ** | ** | 2 | ** | ** | 2 | ** | ** | 2 | ** | ** |
|-----------|-----------------------|----|-------|-------|----|-------|-------|----|-------|-------|----|-------|-------|----|-------|-------|
| Southeast | Drug Overdoses | 10 | 10.6* | 13.6* | 11 | 14.9* | 14.8* | 11 | 13.6* | 14.8* | 13 | 14.5* | 17.4* | 12 | 14.5* | 16.1* |
| | Opioid overdoses | 5 | ** | ** | 9 | 11.9* | 12.1* | 5 | ** | ** | 9 | 10.0* | 12.1* | 10 | 12.5* | 13.4* |
| | Opioid - Illicit | 2 | ** | ** | 5 | ** | ** | 4 | ** | ** | 5 | ** | ** | 6 | 8.5* | 8.1* |
| | Opioid - prescription | 3 | ** | ** | 4 | ** | ** | 4 | ** | ** | 8 | 8.4* | 10.7* | 6 | 6.9* | 8.1* |
| Southwest | Drug Overdoses | 3 | ** | ** | 5 | ** | ** | 4 | ** | ** | 2 | ** | ** | 4 | ** | ** |
| | Opioid overdoses | 3 | ** | ** | 4 | ** | ** | 2 | ** | ** | 2 | ** | ** | 3 | ** | ** |
| | Opioid - Illicit | 0 | ** | ** | 0 | ** | ** | 1 | ** | ** | 0 | ** | ** | 1 | ** | ** |
| | Opioid - prescription | 3 | ** | ** | 4 | ** | ** | 2 | ** | ** | 2 | ** | ** | 3 | ** | ** |

Footnotes:

Drug overdose deaths, defined as those with underlying cause of death as: Unintentional drug poisoning (X40-44), Suicide drug poisoning (X60-64), Homicide drug poisoning (X85), and drug poisoning of undetermined intent (Y10-Y14)

Opioid overdose deaths are overdose deaths that also had a contributory cause of death as opium (T40.0), heroin (T40.1), natural and semisyntheic opioids (T40.2), methadone (T40.3), synthetic Opioid other than methadone (T40.4) or other and unspecified narcotics (T40.6)

Opioid Illicit: T40.0,T40.1,T40.6 **Opioid Prescription**: T40.2-T40.4

2. All rates are per 100,000. Age-adjusted rates are per 100,000 adjusted to U.S. year 2000 standard population. When comparing rates for different populations, age-adjusted rates should be used.

Source: Alaska Health Analytics & Vital Records

^{*}Rates base on fewer than 20 occurrences are statistically unreliable and should be used with caution

^{**}Rates based on fewer than 6 occurrences are not reported.

^{1.} ICD-10 Codes (as coded in the International Classification of Diseases, 10th Revision)