HIV Surveillance Report — Alaska, 1982–2015

From January 1, 1982 through December 31, 2015, 1,680 cases of human immunodeficiency virus (HIV) infection were reported to the Alaska Section of Epidemiology (SOE), including cases with an initial diagnosis in Alaska and those previously diagnosed out-of-state who are living in Alaska (Table). During 2015, 64 cases of HIV infection were reported to SOE; 22 (34%) of which were initially diagnosed in Alaska, yielding a 2015 statewide incidence rate of 3 cases per 100,000 persons. This HIV Surveillance Report contains summary data and highlights for cumulative cases reported from 1982 through 2015 (n=1,680), incident cases diagnosed in Alaska in 2015 (n=22), and Persons Living with HIV in Alaska as of December 31, 2015 (n=671).

Table. Summary of Reported Cases of HIV by Select Characteristics — Alaska, 1982–2015

		1982–2015				2015				
HIV (non-AIDS)				Diagnosed in Alaska		_		Diagnosed in Alaska		
HIV with AIDS 931 197 642 150 26 4 5 1 TOTAL # 1353 327 910 246 49 15 17 5		Male	Female	Male	Female	Male	Female	Male	Female	
HIV with AIDS	HIV (non–AIDS)	422	130	268	96	23	11	12	4	
TOTAL # 1,353 327 910 246 49 15 17 5		931			150	26	4		1	
<14									5	
15-24	Age at Diagnosis in Years, #									
25-34 522 116 328 87 20 3 3 3 1 35-44 413 75 286 60 9 2 2 2 24-45-54 160 48 130 40 8 3 4 1 55-64 43 11 38 10 5 1 4 1 ≥65 13 2 12 2 0 0 0 Race/Ethnicity, # American Indian/ Alaska Native (Al/AN) 225 111 194 105 6 4 5 4 Asian 18 16 10 11 1 1 1 0 1 Black 167 53 100 29 11 6 4 0 Hispanic 125 23 74 17 8 1 1 0 Native Hawaiian/ Pacific Islander (NH/PI) 8 2 7 1 0 0 0 0 White 784 117 515 80 22 3 7 0 Multi-race (Multi) 26 5 10 3 1 0 0 0 Male-to-Male Sex 840 0 568 0 28 0 10 0 Injection Drug Use (IDU) 135 0 64 0 7 0 1 0 Heterosexual Contact 92 226 71 176 7 10 4 5 Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Other/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat-Su 650 157 650 157 10 2 10 2 2 Coulteast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 0 Northern 14 8 14 8 2 0 2 0 Southwest 40 15 40 15 0 0 0 Incolumnation 14 8 14 8 2 0 2 0 Southwest 40 15 40 15 0 0 0 Incolumnation 14 16 17 17 17 17 17 17 17	<14	11	11	8	5	0	4	0	0	
35-44	15–24	191	64	108	42	7	2	4	0	
35-44	25–34	522	116	328	87	20	3	3	1	
45-54	35–44				60	9	2	2	2	
55-64					40					
Race/Ethnicity, # Rac									1	
American Indian/ Alaska Native (AI/AN)										
Alaska Native (AI/AN)										
Alian 18										
Asian		225	111	194	105	6	4	5	4	
Black										
Hispanic 125								-		
Native Hawaiian/ Pacific Islander (NH/PI)										
Pacific Islander (NH/PI)		123	23	/ -	17	O O	1	1	O O	
NH/PI										
White 784 117 515 80 22 3 7 0 Multi-race (Multi) 26 5 10 3 1 0 0 0 Transmission Category, # Male-to-Male Sex (IDU) 840 0 568 0 28 0 10 0 Male-to-Male Sex (IDU) 133 62 90 41 2 1 0 0 Male-to-Male Sex and IDU 135 0 64 0 7 0 1 0 Heterosexual Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Residence at Time of Diagnosis, # Anchorage/Mat-Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 </td <td></td> <td>8</td> <td>2</td> <td>7</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>		8	2	7	1	0	0	0	0	
Multi-race (Multi) 26 5 10 3 1 0 0 0 0										
Male-to-Male Sex										
Male-to-Male Sex										
Injection Drug Use (IDU)	Male_to_Male Sex	840	0			28	0	10	0	
(IDU) 133 62 90 41 2 1 0 0 Male-to-Male Sex and IDU 135 0 64 0 7 0 1 0 Heterosexual Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Cother/Not Specified 147 28 113 24 5 0 4 0 0 Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southwest 40		- 010		200				20		
Male-to-Male Sex and IDU 135 0 64 0 7 0 1 0 Heterosexual Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Other/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat-Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40		133	62	90	41	2.	1	0	0	
and IDU 135 0 64 0 7 0 1 0 Heterosexual Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Other/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southwest 40 15 40 15 0 0 0 0		133	32	70	11		1	Ü	3	
Heterosexual		135	0	64	0	7	0	1	0	
Contact 92 226 71 176 7 10 4 5 Perinatal 6 11 4 5 0 4 0 0 Other/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0		133		01	· · ·	,	V		- U	
Perinatal 6 11 4 5 0 4 0 0 Cother/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0		92	226	71	176	7	10	А	5	
Other/Not Specified 147 28 113 24 5 0 2 0 Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0										
Residence at Time of Diagnosis, # Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0										
Anchorage/Mat–Su 650 157 650 157 10 2 10 2 Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0	Other/140t Specifica	147			•	•	0	2	0	
Gulf Coast 57 12 57 12 2 0 2 0 Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0	Anchorage/Mat Su	650					7	10	2	
Interior 93 31 93 31 2 1 2 1 Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0										
Northern 14 8 14 8 2 0 2 0 Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0										
Southeast 56 23 56 23 1 2 1 2 Southwest 40 15 40 15 0 0 0 0										
Southwest 40 15 40 15 0 0 0										
	Out of State/Country	443	81	0	0	32	10	0	0	



Cumulative Reported Cases of HIV, 1982–2015

Highlights Cumulative HIV Cases 1982–2015, n=1,680

- 1,128 (67%) ever had a diagnosis of AIDS
- 586 (35%) are known to have died
- 1,353 (81%) were male
- 840 (50%) were Men Who Have Sex with Men (MSM); 318 (19%) were Heterosexual (Hetero)
- 901 (54%) were White; 336 (20%) were Alaska Native/American Indian; 220 (13%) were Black
- 1,156 (69%) had an initial diagnosis in Alaska; 807 (70%) of those were living in Anchorage/Mat-Su at the time of diagnosis

Figure 1. Cumulative Reported Cases of HIV and Known Deaths by Year of Diagnosis, Alaska — 1982–2015




Figure 2. Cumulative Reported Cases of HIV by Age at Diagnosis and Gender, Alaska — 1982–2015




Figure 3. Cumulative Reported Cases of HIV by Race/Ethnicity and Gender, Alaska — 1982–2015




Figure 4. Cumulative Reported Cases of HIV by Transmission Category, Alaska — 1982–2015





Figure 5. Cumulative Reported Cases of HIV by Residence at Diagnosis, Alaska — 1982–2015



Reported Cases of HIV Newly Diagnosed in Alaska, 2015

Highlights Newly Diagnosed HIV Cases 2015, n=22

- 6 (27%) were also diagnosed with AIDS
- None are known to have died
- 17 (77%) were male
- 10 (45%) were Men Who Have Sex with Men (MSM); 9 (41%) were Heterosexual
- 7 (32%) were White; 9 (41%) were Alaska Native/American Indian; 4 (18%) were Black
- 12 (55%) were living in Anchorage/Mat-Su at the time of diagnosis

Figure 6. Reported Cases of HIV Newly Diagnosed in Alaska by Year — 2006–2015




Figure 7. Reported Cases of HIV Newly Diagnosed in Alaska by Age at Diagnosis and Gender — 2015




Figure 9. Reported Cases of HIV Newly Diagnosed in Alaska by Transmission Category — 2015




Figure 8. Reported Cases of HIV Newly Diagnosed in Alaska by Race/Ethnicity and Gender — 2015






Figure 10. Reported Cases of HIV Newly Diagnosed in Alaska by Residence at Diagnosis — 2015





Persons Living with HIV/AIDS in Alaska as of December 31, 2015

Highlights Persons Living with HIV in Alaska As of December 31, 2015, n=671

- 374 (56%) ever had a diagnosis of AIDS
- 506 (75%) were male
- 305 (45%) were Men Who Have Sex with Men (MSM); 178 (27%) were Heterosexual
- 301 (45%) were White; 168 (25%) were Alaska Native/American Indian; 92 (14%) were Black
- 448 (67%) had an initial diagnosis in Alaska; 306 (68%) of those were living in Anchorage/Mat-Su at the time of diagnosis
- 587 (87%) received at least one CD4 or viral load, and of those 517 (88%) are virally suppressed

Figure 12. Persons Living with HIV/AIDS in Alaska by Age at Diagnosis and Gender — As of December 31, 2015




Figure 14. Persons Living with HIV/AIDS in Alaska by Transmission Category — As of December 31, 2015





Figure 11. HIV Care Continuum, Alaska — As of December 31, 2015



- * In preceding 12 months, between Jan. 1, 2015 and Dec. 31, 2015
- + Viral Load ≤200 copies/mL

Figure 13. Persons Living with HIV/AIDS in Alaska by Race/Ethnicity and Gender — As of December 31, 2015




Figure 15. Persons Living with HIV/AIDS in Alaska by Residence at Time of Diagnosis — As of December 31, 2015

