



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

Email: HealthAnalytics@Alaska.gov



Alaska Facts and Figures

2019 Alaska Resident Leading Causes of Inpatient Hospitalization

The Alaska Facts and Figures tables were prepared by the Alaska Department of Health and Social Services, Division of Public Health, Health Analytics and Vital Records Section. These tables summarize inpatient discharge data from the Alaska Health Facilities Data Reporting (HFDR) program for hospital discharges during 2019.

Additional Information

- The statistics provided in the tables reflect data based on hospital inpatient discharges for Alaska residents. Alaska hospitals are required to report their discharge data to the State of Alaska (7 AAC 27.660).
- These tables provide discharge counts and rates for hospital inpatient stays in Alaska.
 - The ICD-10-CM diagnoses are grouped into roughly 300 classifications using [Clinical Classification Software](#) (CCS) diagnosis categories.
 - The fifteen CCS categories that have the highest number of discharges for the year are ranked in the first (overall) table and the tables by *Sex*. The top ten discharge diagnosis categories are listed for each *Race* group, and the top three diagnoses are listed in the *Age Group* table and the *Regional Area* ([Public Health Region](#)) table.
- These tables also provide columns for *Billed Charges* with sum, median, and mean listed for each discharge diagnosis.
 - *Billed Charges* reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately negotiated (or discounted) with insurance companies or other payers.
- In the final three tables, the diagnosis categories are ranked by the highest dollar amounts of the billed charges, with the top 15 categories displayed. The first table is ranked with the diagnosis category having highest sum of all billed charges first, the next table ranks the median charges, and the last table ranks the mean charges.
- Each hospital discharge is mutually exclusive, in other words, counted in only one *Clinical Classification Category*. However, a patient can have multiple discharges in a calendar year and will be counted for each discharge.
- These tables reflect the latest and most complete counts of hospitalizations. The data presented may differ from previous tables or reports due to late or corrected data submission to HFDR.
- Any diagnosis categories with fewer than 6 discharges are not presented, which is only relevant to the last two pages sorted by mean and median, and any rates based on fewer than 20 discharges are statistically unreliable and should be interpreted with caution.
- Age-adjusted rates were adjusted by year 2000 standard population ratios. For more information see the Healthy People Statistical Notes on [Age adjustment using the 2000 projected U.S. population](#), January 2001.
- The single-race population estimates used to calculate rates in these tables are provided by the Alaska Department of Labor and Workforce Development, Research and Analysis Section, Demographics Unit.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Fifteen (2019)

Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
		Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
1	Liveborn (newborn infant)	7,800	1,067.0	1,085.3	\$244,265,938	\$4,943	\$31,316
2	Septicemia (except in labor)	3,857	527.6	547.9	\$429,115,391	\$61,289	\$111,256
3	Other complications of birth, puerperium affecting management of mother	2,113	289.1	285.7	\$46,153,784	\$17,808	\$21,843
4	Mood disorders	1,807	247.2	253.1	\$93,884,833	\$35,982	\$51,956
5	Osteoarthritis	1,765	241.4	221.9	\$182,206,569	\$99,603	\$103,233
6	Hypertension with complications and secondary hypertension	1,347	184.3	199.3	\$107,318,122	\$51,350	\$79,672
7	Alcohol-related disorders	1,337	182.9	180.9	\$69,820,029	\$33,231	\$52,221
8	Acute myocardial infarction	1,139	155.8	153.7	\$159,370,006	\$100,421	\$139,921
9	Hypertension complicating pregnancy, childbirth and the puerperium	1,088	148.8	149.7	\$38,272,425	\$27,061	\$35,177
10	Acute cerebrovascular disease	1,085	148.4	157.9	\$124,215,825	\$63,572	\$114,485
11	Complication of device, implant or graft	1,027	140.5	139.5	\$123,502,123	\$88,420	\$120,255
12	Spondylosis, intervertebral disc disorders, other back problems	989	135.3	128.3	\$157,505,089	\$137,395	\$159,257
13	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)	933	127.6	138.3	\$46,824,073	\$32,147	\$50,187
14	Respiratory failure, insufficiency, arrest (adult)	928	126.9	127.1	\$117,338,152	\$66,712	\$126,442
15	Skin and subcutaneous tissue infections	917	125.4	123.9	\$35,863,546	\$29,713	\$39,110

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Fifteen by Sex (2019)

Sex	Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
			Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
Female	1	Liveborn (newborn infant)	3,712	1,046.4	1,055.9	\$110,069,774	\$4,807	\$29,652
	2	Other complications of birth, puerperium affecting management of mother	2,113	595.6	597.2	\$46,153,784	\$17,808	\$21,843
	3	Septicemia (except in labor)	1,916	540.1	549.0	\$196,746,625	\$59,473	\$102,686
	4	Hypertension complicating pregnancy, childbirth and the puerperium	1,088	306.7	312.3	\$38,272,425	\$27,061	\$35,177
	5	Mood disorders	1,065	300.2	313.5	\$58,198,002	\$39,684	\$54,646
	6	Osteoarthritis	925	260.7	237.3	\$95,355,415	\$97,271	\$103,087
	7	Other complications of pregnancy	868	244.7	246.6	\$26,665,726	\$21,629	\$30,721
	8	Polyhydramnios and other problems of amniotic cavity	723	203.8	206.9	\$20,673,151	\$23,034	\$28,594
	9	Previous C-section	689	194.2	197.1	\$20,651,373	\$27,067	\$29,973
	10	Prolonged pregnancy	648	182.7	181.9	\$14,266,019	\$19,106	\$22,015
	11	Alcohol-related disorders	617	173.9	174.6	\$32,071,844	\$30,622	\$51,980
	12	Hypertension with complications and secondary hypertension	569	160.4	165.0	\$45,918,659	\$50,907	\$80,701
	13	Acute cerebrovascular disease	518	146.0	151.6	\$54,933,175	\$59,067	\$106,049
	14	Diabetes or abnormal glucose tolerance complicating pregnancy, childbirth, or the puerperium	511	144.0	146.4	\$12,551,684	\$20,529	\$24,563
	15	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)	470	132.5	138.1	\$22,802,129	\$32,745	\$48,515

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Fifteen by Sex (2019)

Sex	Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
			Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
Male	1	Liveborn (newborn infant)	4,088	1,086.5	1,113.5	\$134,196,164	\$5,175	\$32,827
	2	Septicemia (except in labor)	1,941	515.9	547.5	\$232,368,766	\$63,257	\$119,716
	3	Osteoarthritis	840	223.3	206.4	\$86,851,154	\$101,084	\$103,394
	4	Hypertension with complications and secondary hypertension	778	206.8	237.6	\$61,399,463	\$51,466	\$78,920
	5	Acute myocardial infarction	766	203.6	207.8	\$110,978,058	\$101,143	\$144,880
	6	Mood disorders	742	197.2	197.8	\$35,686,831	\$33,524	\$48,095
	7	Alcohol-related disorders	720	191.4	187.8	\$37,748,185	\$35,142	\$52,428
	8	Complication of device, implant or graft	574	152.6	161.5	\$66,989,565	\$84,788	\$116,707
		Skin and subcutaneous tissue infections	574	152.6	150.4	\$22,424,865	\$28,830	\$39,068
	9	Acute cerebrovascular disease	567	150.7	163.3	\$69,282,650	\$66,209	\$122,192
	10	Spondylosis, intervertebral disc disorders, other back problems	534	141.9	133.0	\$84,045,843	\$136,098	\$157,389
	11	Diabetes mellitus with complications	513	136.3	133.5	\$34,814,583	\$41,061	\$67,865
	12	Respiratory failure, insufficiency, arrest (adult)	466	123.9	127.3	\$60,516,217	\$65,769	\$129,863
	13	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)	463	123.1	139.5	\$24,021,945	\$31,685	\$51,883
	14	Complications of surgical procedures or medical care	453	120.4	115.9	\$44,933,133	\$61,317	\$99,190
15	Schizophrenia and other psychotic disorders	450	119.6	121.5	\$22,163,455	\$34,385	\$49,252	

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Ten by Race (2019)

Race	Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
			Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
White	1	Liveborn (newborn infant)	3,069	610.0	689.3	\$75,762,613	\$4,372	\$24,686
	2	Septicemia (except in labor)	2,246	446.4	431.1	\$250,915,671	\$64,698	\$111,717
	3	Osteoarthritis	1,332	264.8	218.0	\$144,022,899	\$110,541	\$108,125
	4	Mood disorders	963	191.4	201.0	\$56,247,459	\$43,205	\$58,409
	5	Other complications of birth, puerperium affecting management of mother	934	185.7	189.7	\$21,987,251	\$19,910	\$23,541
	6	Spondylosis, intervertebral disc disorders, other back problems	784	155.8	134.8	\$127,688,016	\$141,458	\$162,867
	7	Acute myocardial infarction	777	154.4	138.5	\$108,738,808	\$101,349	\$139,947
	8	Hypertension with complications and secondary hypertension	743	147.7	149.5	\$61,080,455	\$53,327	\$82,208
	9	Complication of device, implant or graft	697	138.5	125.6	\$83,840,907	\$91,405	\$120,288
	10	Acute cerebrovascular disease	673	133.8	127.8	\$75,498,768	\$62,581	\$112,182
AI/AN	1	Liveborn (newborn infant)	2,263	1,767.3	1,345.8	\$51,027,258	\$8,114	\$22,549
	2	Septicemia (except in labor)	1,001	781.8	972.6	\$118,582,227	\$60,018	\$118,464
	3	Other complications of birth, puerperium affecting management of mother	748	584.2	539.3	\$13,660,007	\$13,805	\$18,262
	4	Alcohol-related disorders	671	524.0	594.5	\$35,628,521	\$30,432	\$53,098
	5	Mood disorders	595	464.7	443.7	\$24,870,874	\$29,047	\$41,800
	6	Hypertension complicating pregnancy, childbirth and the puerperium	395	308.5	299.5	\$12,583,329	\$23,710	\$31,857
	7	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)	392	306.1	366.9	\$16,152,772	\$25,562	\$41,206
	8	Skin and subcutaneous tissue infections	377	294.4	312.3	\$13,151,195	\$26,432	\$34,884
	9	Schizophrenia and other psychotic disorders	366	285.8	289.1	\$15,819,408	\$32,404	\$43,222
	10	Suicide and intentional self-inflicted injury	293	228.8	225.8	\$13,543,845	\$25,156	\$46,225

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Ten by Race (2019)

Race	Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
			Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
Asian/PI/Black	1	Liveborn (newborn infant)	759	760.0	720.8	\$29,433,997	\$4,409	\$38,780
	2	Septicemia (except in labor)	411	411.5	517.4	\$43,504,950	\$62,683	\$105,851
	3	Other complications of birth, puerperium affecting management of mother	261	261.3	232.6	\$6,508,548	\$20,790	\$24,937
	4	Hypertension with complications and secondary hypertension	255	255.3	303.4	\$23,172,364	\$64,704	\$90,872
	5	Acute cerebrovascular disease	159	159.2	205.6	\$19,720,413	\$73,732	\$124,028
	6	Other complications of pregnancy	146	146.2	131.4	\$5,075,212	\$22,346	\$34,762
	7	Acute myocardial infarction	137	137.2	165.6	\$22,500,172	\$109,935	\$164,235
	8	Mood disorders	130	130.2	122.1	\$7,395,995	\$37,397	\$56,892
	9	Diabetes mellitus with complications	123	123.2	136.7	\$8,564,904	\$40,764	\$69,633
	10	Hypertension complicating pregnancy, childbirth and the puerperium	121	121.2	111.6	\$4,969,009	\$34,104	\$41,066

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Three by Age Group (2019)

Age Group	Rank	Clinical Classification Categories ¹	Morbidity		Billed Charges ⁴		
			Discharges	Age Specific Rate ²	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
00-14	1	Liveborn (newborn infant)	7,800	5,033.4	\$244,265,938	\$4,943	\$31,316
	2	Acute bronchitis	356	229.7	\$11,484,132	\$17,221	\$32,259
	3	Other perinatal conditions	269	173.6	\$24,590,158	\$32,779	\$91,413
15-24	1	Other complications of birth, puerperium affecting management of mother	598	641.3	\$12,296,051	\$16,607	\$20,562
	2	Mood disorders	593	635.9	\$33,341,819	\$37,401	\$56,226
	3	Hypertension complicating pregnancy, childbirth and the puerperium	262	281.0	\$8,199,148	\$25,337	\$31,294
25-34	1	Other complications of birth, puerperium affecting management of mother	1,229	1,097.7	\$26,294,082	\$17,977	\$21,395
	2	Hypertension complicating pregnancy, childbirth and the puerperium	595	531.4	\$20,998,182	\$26,360	\$35,291
	3	Other complications of pregnancy	495	442.1	\$15,398,223	\$21,706	\$31,108
35-44	1	Septicemia (except in labor)	406	419.2	\$44,200,635	\$57,848	\$108,869
	2	Alcohol-related disorders	328	338.7	\$16,135,952	\$29,027	\$49,195
	3	Other complications of birth, puerperium affecting management of mother	284	293.2	\$7,506,816	\$20,082	\$26,432
45-54	1	Septicemia (except in labor)	488	571.3	\$62,766,536	\$64,046	\$128,620
	2	Alcohol-related disorders	267	312.6	\$16,811,341	\$40,716	\$62,964
	3	Osteoarthritis	194	227.1	\$18,677,936	\$95,670	\$96,278
55-64	1	Septicemia (except in labor)	773	794.6	\$105,216,075	\$69,325	\$136,114
	2	Osteoarthritis	522	536.6	\$53,115,961	\$86,110	\$101,755
	3	Acute myocardial infarction	337	346.4	\$48,668,706	\$100,757	\$144,418
65+	1	Septicemia (except in labor)	1,656	1,814.2	\$163,983,378	\$62,131	\$99,024
	2	Osteoarthritis	1,002	1,097.7	\$105,575,784	\$105,476	\$105,365
	3	Hypertension with complications and secondary hypertension	787	862.2	\$59,944,162	\$49,275	\$76,168

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Hospitalization - Top Three by Public Health Region (2019)

Regional Area	Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
			Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
Anchorage Munic.	1	Liveborn (newborn infant)	3,183	1,090.6	1,119.1	\$121,141,539	\$4,807	\$38,059
	2	Septicemia (except in labor)	1,964	673.0	707.0	\$217,337,130	\$63,536	\$110,660
	3	Other complications of birth, puerperium affecting management of mother	761	260.8	245.7	\$18,765,315	\$20,979	\$24,659
Gulf Coast Region	1	Liveborn (newborn infant)	861	1,064.7	1,173.6	\$17,436,610	\$4,023	\$20,252
	2	Septicemia (except in labor)	394	487.2	418.7	\$39,554,737	\$51,694	\$100,393
	3	Osteoarthritis	348	430.3	314.8	\$33,546,928	\$79,239	\$96,399
Interior Region	1	Liveborn (newborn infant)	1,022	930.4	923.0	\$17,643,395	\$4,209	\$17,264
	2	Mood disorders	539	490.7	491.4	\$23,588,775	\$31,432	\$43,764
	3	Other complications of birth, puerperium affecting management of mother	255	232.1	214.1	\$3,149,666	\$10,498	\$12,352
Mat-Su Borough	1	Liveborn (newborn infant)	1,111	1,043.8	1,005.6	\$41,507,000	\$5,571	\$37,360
	2	Septicemia (except in labor)	754	708.4	749.5	\$98,993,282	\$76,081	\$131,291
	3	Other complications of birth, puerperium affecting management of mother	316	296.9	319.7	\$10,172,995	\$28,038	\$32,193
Northern Region	1	Liveborn (newborn infant)	446	1,625.8	1,404.7	\$15,497,297	\$8,206	\$34,747
	2	Alcohol-related disorders	158	576.0	594.0	\$5,259,616	\$18,820	\$33,289
	3	Other complications of birth, puerperium affecting management of mother	145	528.6	480.1	\$2,940,683	\$16,432	\$20,281
Southeast Region	1	Liveborn (newborn infant)	502	693.6	877.3	\$8,189,048	\$5,694	\$16,313
	2	Septicemia (except in labor)	287	396.6	368.2	\$23,836,185	\$40,138	\$83,053
	3	Osteoarthritis	175	241.8	181.6	\$10,919,261	\$50,656	\$62,396
Southwest Region	1	Liveborn (newborn infant)	675	1,599.3	1,330.7	\$22,851,048	\$7,903	\$33,853
	2	Other complications of birth, puerperium affecting management of mother	276	653.9	600.7	\$4,420,226	\$10,754	\$16,015
	3	Septicemia (except in labor)	167	395.7	493.6	\$21,223,035	\$59,572	\$127,084

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Sum Billed Charges - Top Fifteen (2019)

Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
		Discharges	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
1	Septicemia (except in labor)	3,857	527.6	547.9	\$429,115,391	\$61,289	\$111,256
2	Liveborn (newborn infant)	7,800	1,067.0	1,085.3	\$244,265,938	\$4,943	\$31,316
3	Osteoarthritis	1,765	241.4	221.9	\$182,206,569	\$99,603	\$103,233
4	Acute myocardial infarction	1,139	155.8	153.7	\$159,370,006	\$100,421	\$139,921
5	Spondylosis, intervertebral disc disorders, other back problems	989	135.3	128.3	\$157,505,089	\$137,395	\$159,257
6	Acute cerebrovascular disease	1,085	148.4	157.9	\$124,215,825	\$63,572	\$114,485
7	Complication of device, implant or graft	1,027	140.5	139.5	\$123,502,123	\$88,420	\$120,255
8	Respiratory failure, insufficiency, arrest (adult)	928	126.9	127.1	\$117,338,152	\$66,712	\$126,442
9	Hypertension with complications and secondary hypertension	1,347	184.3	199.3	\$107,318,122	\$51,350	\$79,672
10	Mood disorders	1,807	247.2	253.1	\$93,884,833	\$35,982	\$51,956
11	Complications of surgical procedures or medical care	906	123.9	119.1	\$85,266,880	\$57,540	\$94,114
12	Alcohol-related disorders	1,337	182.9	180.9	\$69,820,029	\$33,231	\$52,221
13	Cardiac dysrhythmias	665	91.0	95.7	\$62,031,280	\$53,346	\$93,280
14	Heart valve disorders	248	33.9	36.8	\$55,824,969	\$165,302	\$225,101
15	Coronary atherosclerosis and other heart disease	301	41.2	38.9	\$55,568,578	\$154,196	\$184,613

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
 - Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
 - Occurrences per 100,000 population.
 - Occurrences per 100,000 population, times year 2000 standard population ratio.
 - Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Median Billed Charges - Top Fifteen (2019)

Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
		Discharges ⁵	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
1	Short gestation, low birth weight, and fetal growth retardation	112	15.3	15.6	\$40,468,959	\$334,677	\$361,330
2	Intrauterine hypoxia and birth asphyxia	6	0.8*	0.8*	\$1,927,628	\$251,365	\$321,271
3	Other and ill-defined cerebrovascular disease	46	6.3	5.5	\$11,025,223	\$235,132	\$239,679
4	Aortic, peripheral, and visceral artery aneurysms	108	14.8	15.2	\$28,254,962	\$216,572	\$261,620
5	Spinal cord injury	39	5.3	5.4	\$8,160,482	\$201,064	\$209,243
6	Respiratory distress syndrome	9	1.2*	1.3*	\$2,910,096	\$194,159	\$323,344
7	Other acquired deformities	187	25.6	24.9	\$42,201,908	\$189,730	\$225,679
8	Cardiac arrest and ventricular fibrillation	50	6.8	6.4	\$11,416,924	\$184,840	\$228,338
9	Cardiac and circulatory congenital anomalies	25	3.4	3.2	\$5,423,560	\$174,469	\$216,942
10	Heart valve disorders	248	33.9	36.8	\$55,824,969	\$165,302	\$225,101
11	Cystic fibrosis	42	5.7	5.8	\$6,476,099	\$154,344	\$154,193
12	Coronary atherosclerosis and other heart disease	301	41.2	38.9	\$55,568,578	\$154,196	\$184,613
13	Spondylosis, intervertebral disc disorders, other back problems	989	135.3	128.3	\$157,505,089	\$137,395	\$159,257
14	Cancer of other GI organs, peritoneum	29	4.0	4.5	\$4,663,290	\$119,073	\$160,803
15	Cancer of stomach	31	4.2	4.1	\$5,169,598	\$114,429	\$166,761

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
- Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
- Occurrences per 100,000 population.
- Occurrences per 100,000 population, times year 2000 standard population ratio.
- Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.
- Categories with less than 6 discharges are excluded.



Health Analytics and Vital Records

Division of Public Health

Department of Health and Social Services

E-mail: HealthAnalytics@alaska.gov



Alaska Facts & Figures

Leading Causes of Mean Billed Charges - Top Fifteen (2019)

Rank	Clinical Classification Categories ¹	Morbidity			Billed Charges ⁴		
		Discharges ⁵	Crude Rate ²	Age Adjusted Rate ³	Sum Billed Charges	Median Billed Charges	Mean Billed Charges
1	Short gestation, low birth weight, and fetal growth retardation	112	15.3	15.6	\$40,468,959	\$334,677	\$361,330
2	Respiratory distress syndrome	9	1.2*	1.3*	\$2,910,096	\$194,159	\$323,344
3	Intrauterine hypoxia and birth asphyxia	6	0.8*	0.8*	\$1,927,628	\$251,365	\$321,271
4	Coma, stupor, and brain damage	9	1.2*	1.3*	\$2,360,136	\$94,228	\$262,237
5	Aortic, peripheral, and visceral artery aneurysms	108	14.8	15.2	\$28,254,962	\$216,572	\$261,620
6	Other and ill-defined cerebrovascular disease	46	6.3	5.5	\$11,025,223	\$235,132	\$239,679
7	Cardiac arrest and ventricular fibrillation	50	6.8	6.4	\$11,416,924	\$184,840	\$228,338
8	Other acquired deformities	187	25.6	24.9	\$42,201,908	\$189,730	\$225,679
9	Heart valve disorders	248	33.9	36.8	\$55,824,969	\$165,302	\$225,101
10	Cardiac and circulatory congenital anomalies	25	3.4	3.2	\$5,423,560	\$174,469	\$216,942
11	Spinal cord injury	39	5.3	5.4	\$8,160,482	\$201,064	\$209,243
12	Coronary atherosclerosis and other heart disease	301	41.2	38.9	\$55,568,578	\$154,196	\$184,613
13	Cancer of stomach	31	4.2	4.1	\$5,169,598	\$114,429	\$166,761
14	Cancer of ovary	37	5.1	4.7	\$5,981,270	\$111,959	\$161,656
15	Cancer of other GI organs, peritoneum	29	4.0	4.5	\$4,663,290	\$119,073	\$160,803

Data Accessed: 03/04/2021

Source: Alaska Division of Public Health, Health Analytics and Vital Records, Health Facilities Data Reporting Inpatient Database v3

Footnotes:

- 2019 data does not include records from the following facilities: Wrangell Medical Center.
- Aggregation of ICD-10-CM diagnoses with Clinical Classification Software (CCS) into clinically meaningful categories, developed as part of the Healthcare Cost and Utilization Project (HCUP).
- Occurrences per 100,000 population.
- Occurrences per 100,000 population, times year 2000 standard population ratio.
- Billed charges reflect charges billed by facilities. These do not include physician fees, and may differ from amount ultimately settled on with insurance companies or other payers.
- * Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.
- Categories with less than 6 discharges are excluded.