



Medication Administration

A Guide for Training Unlicensed School Staff



Acknowledgements:

This guideline document was developed in collaboration with the Alaska Department of Health & Social Services, Division of Public Health, School Nursing/School Health Program, the School Health Nurse Advisory Committee and approved by the Alaska Board of Nursing on October 25, 2012.

Guideline Contributors:

Patricia Barker, *BSN, RN*
Mary Bell, *BSN, RN, NCSN*
Nancy Edtl, *MBA, BSN, RN, NCSN*
Krista Grilliot *BSN, RN, NCSN*
Maureen Kauleinamoku, *MSN, RN*
Naomi Walsworth, *BSN, RN*

Guideline Reviewers:

Jordis Clark, *MPH, RN NCSN*
Marcy Custer, *MS, RN*
Lois Henderson, *RN*
Faith Hundley *BSN, RN, NCSN*
LeMay Hupp, *MPH, BSN, RN, NCSN*
Anne McCarron, *RN, NCSN*
Christy Kinter, *BSN, RN*
Marty Langlois, *BSN, RN*
Elizabeth Miller *MEd, BS, RN, NCSN*
Luann Powers, *BSN, RN, NCSN*

2021/2022 Update Reviewers:

Nancy Bale, *BSN, RN*
Jennifer Cottle, *MS, RN, NCSN*
Wendy DeGraffenried, *BSN, RN, NCSN, HN-BC*
Melisa Miller, *BSN, RN*
Barbara Pennington, *MSN, BSN, RN, NCSN*
Lisa Petersen, *MSN, BSN, RN*
Wendy A. Williams, *BSN, RN*



Department of Health
Division of Public Health
Section of Women's, Children's, & Family Health
3601 C Street, Suite 322, Anchorage, AK, 99503
Phone: 907-269-7368-3400

Revised 2022

Table of Contents

Introduction/Purpose	1
Definitions	1
Guideline Determinants	3
Roles and Responsibilities	6
Training Materials Needed	8
Protocols/Procedures	8
I. Curriculum Overview	8
II. Legal Requirements	9
III. Medication Administration Procedure	9
Five Rights of Medication Administration	10
Classifications of Medications	11
Routes of Administration	14
General Steps for Medication Administration	14
Administering Oral Medication	15
Administering Ophthalmic (Eye) Medication	15
Administering Otic (Ear) Medication	16
Administering Intranasal (Nose) Medication	16
Administering Topical Skin Medication	17
Administering Inhaled Medication	17
Documentation	18
Medication Errors	19
Proper Storage and Handling	20
Common Side Effects and Allergic Reactions	20
Medications commonly administered in the school setting:	21
Allergies	22
Mental Health	22
Over-the-counter	23
Emergency Medications	23
Resources for Drug Information:	24
When To Contact The School Nurse	24
Limitations	24
Return Demonstration and Posttest	25
Appendix A Medication Administration Delegation Pre- and Posttest	26
Appendix B SAMPLE Medication Administration Delegation Decision Tree	27
Appendix C SAMPLE Medication Administration Evaluation of Mastery	32
Appendix D SAMPLE Medication Authorization Form – Prescription Long Term	36
Appendix E SAMPLE Medication Authorization Form – Prescription Short Term	38
Appendix F SAMPLE Medication Authorization Form – Non-Prescription	39
Appendix G SAMPLE Medication Error Reporting Form	40
Appendix H Common Metric Measurements	41
Appendix I List of Trained Unlicensed School Staff	42
Appendix J Universal Precautions Handout	43
Appendix K Confidentiality Handout	46
Appendix L SAMPLE Medication Administration Delegation Plan	47
Appendix M Sample Herbal & Non-Herbal Nutritional Supplement Authorization	48
Appendix N SAMPLE Field Trip Coordinator Checklist	49
Appendix O SAMPLE Field Trip Roster	50
Appendix P SAMPLE Field Trip Medication Sign In/Out Record	51
Resources	52
References	53

Introduction/Purpose

Medication administration to students is one of the most common health services provided in schools. Medication non-adherence at school has been linked to a variety of poor educational, social/emotional and physical outcomes.¹ Over the past few decades, the prevalence of chronic diseases has dramatically increased among children, from one in eight children to one in four, including conditions like asthma, diabetes, obesity, and learning and behavioral disabilities.² Many students with chronic health conditions need access to medications at school in order to enhance their overall health, stabilize their condition as well as promote and support their academic achievement.

School districts should meet the need for required medications during the school day in the interest of facilitating attendance. Policies and procedures should be established that focus on safe and efficient medication administration that are consistent with federal and state laws, nursing practice standards and established safe practices in accordance with evidence-based information.^{1, 3}

Districts employing or contracting registered professional nurses should assign the nurse the responsibility for implementing a system of safe administration of medication.³ In the absence of the nurse, this system may include delegation and/or training of medication administration by a registered nurse to unlicensed assistive personnel (UAP), also known as a "school setting provider," according to Alaska Board of Nursing Regulations. In this document a UAP or school setting provider is termed "trained unlicensed school staff."

This training curriculum was approved by the Alaska Board of Nursing on October 25, 2012 and August 5, 2021.

Definitions 1, 4, 5, 6, 30

Administration

Assisting a student in the ingestion, application, inhalation, injection, insertion or self-management of medication according to the directions of a licensed prescriber or parent/guardian. A licensed prescriber, the prescriber's agent (RN/LPN) and persons who have successfully completed a medication administration course approved by the Alaska Board of Nursing may administer medications.

Authorization

Medication instructions by the prescriber and/or parent/guardian to administer medication.

Delegation

The act of transferring to a competent individual the authority to perform a selected nursing task in a selected situation. The nurse retains accountability for the delegation. (National Council of State Boards of Nursing 2005) The National Association of School Nurses further defines delegation in the school setting as a specific nursing activity, skill, or procedure that is beyond the delegatee's traditional role and not routinely performed in the school community setting. Delegation occurs when the school nurse assigns the performance of a specific nursing task to another person, often unlicensed assistive personnel (UAP).

Dispense

The preparation and delivery of a prescription drug by a pharmacist, physician, dentist, podiatrist, or other person licensed or registered to distribute prescription medication in a suitable container appropriately labeled for subsequent administration to, or use by, a student.

Herb

A plant grown for its health or medicinal properties; includes plant parts and extracts.

Individualized Healthcare Plan (IHP)

This document is a nursing care plan that has student-centered goals and objectives and describes the nursing interventions designed to meet the student's short and long-term goals. It should be...

- Written for each student with a healthcare need that affects or has the potential to affect the student's safe and optimal school attendance and academic performance.
- Developed by the school nurse in collaboration with the student, family, educators, and healthcare providers.
- Based on and developed using the nursing process.
- Include an emergency care plan (ECP), if needed.
- Implemented then evaluated at least yearly to determine need for revision and evidence of desired student outcomes.

Licensed prescriber

Physician, dentist, podiatrist, advanced practice nurse, and physician's assistant licensed to prescribe in Alaska.

Medication

A substance developed to prevent, diagnose, cure or relieve disease. Medications include prescription or non-prescription substances or preparations:

- Tablets and capsules – oral medications to be swallowed.
- Suspensions – undissolved medicine in liquid – must be shaken before administration.
- Syrups and elixirs – sweetened liquid that contains dissolved medication.
- Inhalants – liquid medication in watery form that is applied under pressure as a spray or added to sterile water and given as medicated steam.
- Topical – creams, ointments, eye drops or ointments, and ear drops.

Long-term medication

Prescription preparation utilized for the treatment of chronic illness including both daily and as needed (PRN) medications (needed for longer than 15 days unless otherwise specified by the school district).

Non-prescription medication

Over-the-counter preparations obtained without a prescription.

Short-term medication

Prescription preparation utilized for the treatment of short-term illnesses including infectious diseases or other conditions (needed for less than 15 days unless otherwise specified by the school district).

Monitoring

Reminding the student to take medication; visual observation of the student to ensure compliance; recording medication administration; and notifying the parent and licensed prescriber of any side effects or refusal to take the medicine.

Non-herbal nutritional supplement

A dietary supplement, not including dietary supplements that contain one or more herbs.

Policy

A written document that provides general guidelines for decision-making.

Registered professional nurse (school nurse)

A registered nurse, licensed to practice professional nursing in Alaska and employed in the school setting.

Self-administration

Student self-management of medication. Student demonstrates ability to safely manage own medication to designated monitoring health personnel, as approved and designated by licensed prescriber.

Standing Orders

Written protocol for using a medication applying to the general use of that medication, as opposed to an order for a medication written for a specific individual (e.g., epinephrine in anaphylaxis).

Student

Individual enrolled in an Alaska public or private school, age 3 through age 21 years.

Supervision

The Alaska Board of Nursing adopted the National Council of State Boards of Nursing's definition, which is

- "Supervision is the provision of guidance or direction, oversight, evaluation and follow-up by the licensed nurse for the accomplishment of a nursing task delegated to nursing assistive personnel." NOTE: nursing assistive personnel are also known as unlicensed assistive personnel; the term 'trained staff' is used for the same purpose in Delegation Decision Tree documents.
- Direct Supervision is the presence of the licensed nurse working with other nurses and/or nursing assistive personnel to observe and direct the assistant's activities. The proximity of this supervision is such that immediate intervention is possible if problems occur.
- Indirect Supervision occurs when the licensed nurse is not present, and supervision is provided by other than direct observation of the nurses and/or nursing assistive personnel. The absence of proximity of the licensed nurse requires processes being in place for the direction, guidance, and support, and monitoring of the Licensed Practical Nurse or nursing assistive personnel activities.

Trained Unlicensed School Staff

School employee who has successfully completed a medication course, periodic re-evaluations (every 90 days) and retraining (at least annually). Trained unlicensed school staff is recognized by the Alaska Board of Nursing as a school setting provider or unlicensed assistive personnel (UAP) and as such, is legally authorized to administer medications at school.

Unlicensed Assistive Personnel

As defined in AS 08.68.805, persons, such as orderlies, assistants, attendants, technicians, members of a nursing client's immediate family, or the guardian of a nursing client, who are not licensed to practice practical nursing, registered nursing, medicine or any other health occupation that requires a license in this state." 'School setting provider' is included in this definition and is defined in 12 AAC 44.965 as "a person, who is employed at a school that provides educational services to students age 21 or younger. School setting providers are identified as "trained unlicensed school staff" in this document.

Guideline Determinants

Federal Requirements

Individuals with Disabilities Education Act (IDEA), Section 504 of the Rehabilitation Act and the Americans with Disabilities Act (ADA) require schools receiving federal funding

to provide reasonable accommodations and to allow for safe inclusion of these students in school programs. This “required related service” includes medication administration. Not all students needing medications during the school day fall under this requirement (e.g., short-term needs) but specific policies for administration of medication should be applied consistently with all students.^{1,3}

Family Educational Rights and Privacy Act (FERPA) specifies when student health information may be shared and when it may not. FERPA protects the confidentiality of student health information. Student health information must be kept private except for situations “where disclosure serves a compelling purpose”, is required by law or when parental permission is obtained.⁷

Occupational Safety & Health Administration’s (OSHA) Bloodborne Pathogen Standard (29 CFR 1910.1030) prescribes safeguards to protect workers against the health hazards caused by bloodborne pathogens. The school’s required Exposure Control Plan identifies the safeguards for handling blood and body fluids. These safeguards include identification and training of staff that are most at risk for exposure, utilization of Universal Precautions for all blood and body fluids, personal protective equipment (PPE) to prevent exposure, engineering controls in managing contaminated sharps, and proper disposal of regulated waste.⁸

State Requirements

Alaska Board of Nursing Statutes and Regulations is the legal document regulating the practice of every licensed registered nurse (RN) and licensed practical nurse (LPN) in Alaska. The Alaska Board of Nursing has the ultimate legal authority to interpret the laws relating to the practice of nursing. The regulations 12 AAC 44.950 through 12 AAC 44.975 specifically address the standards for delegation of nursing duties to other persons, including unlicensed assistive personnel (UAP). In 12 AAC 44.965(b) (3), registered nurses are authorized to delegate the administration of medication to UAP in the school known as a “school setting provider.” The school setting provider is “a person who is employed at a school that provides educational services to students age 21 or younger.” The person to whom the administration of medication is delegated must successfully complete a training course in administration of medication that is approved by the board. On April 2, 2012, the Alaska Board of Nursing further clarified the delegation practices in schools by the adoption of the Medication Administration in the School Setting Delegation Decision Tree. The decision tree outlines the steps school nurses should follow in planning for a student who requires a medication in school. The school nurse is responsible for developing and revising the Individualized Healthcare Plan (IHP) for the student and following the steps of the decision tree for both delegable and non-delegable medications. The decision tree is included in this document (Appendix A) and is located in the advisory opinions on the Alaska Board of Nursing website. The current version of the Alaska Board of Nursing Statutes and Regulations is also available at this website. Further guidelines for utilization of the decision tree are available in the Medication Administration in the School Setting Delegation Decision Tree Guidelines located on the Division of Public Health’s School Nursing/School Health program website.⁹

Alaska Statute 14.30.141 Self-Administration and Documentation of Medication requires a public school to permit the self-administration of medication by a pupil for asthma or anaphylaxis if the parent and healthcare provider authorize it in writing. The student who is permitted to self-administer medication under this law is permitted to carry and to store an inhaler and/or auto injectable epinephrine with the school nurse or other designated school official.¹⁰

Alaska Statute 14.12.115 Indemnification, requires the school board to insure or indemnify and protect school district employees against financial loss and expense, including

reasonable legal fees and costs arising out of any claim, demand, suit or judgment for alleged negligence or wrongful act resulting in death or bodily injury to any person as long as the employee acts within the scope of their duties and the policies and procedures of the school district.¹¹

Alaska Statute 09.65.090 Civil Liability for Emergency Aid, states that a person who renders emergency care or emergency counseling to an injured, ill, or emotionally distraught person who reasonably appears to the person rendering the aid to be in immediate need of emergency aid in order to avoid serious harm or death, is not liable for civil damages as a result of an act or omission in rendering emergency aid.¹²

Local Requirements

School district staff, including school nurses and other staff trained to administer medications in schools, must follow their own school district policies and procedures. The following are recommendations for development of school district medication administration policies and procedures.

- Create a confidential, timely and accurate record of the administration.
- Identify the licensed health professional (school nurse) or staff responsible for supervision of medications ensuring safe keeping, accessibility, documentation, and a system of accountability for students who carry and self-administer their medications.
- Establish procedures for security and storage that includes:
 - All prescription medications should be in the original containers appropriately labeled by the pharmacist or physician.
 - Storage should be secure and in accordance with manufacturer's directions.
 - Controlled substances must be locked in a cabinet or drawer used exclusively for medication storage.
 - The school nurse or trained UAP should be available and always have access to the medications during the school day.
 - All medications should be returned to the parents at the end of the school year or disposed of according to existing standards.
- Use a systematic review of documentation for quality assurance, to reduce medication errors, and to verify controlled substance counts.
- Establish and follow effective communication systems that support the student health care plan and the prescriber's instructions.
- For prescription medications, require a written medication form, signed by the authorized prescriber and parent that includes:
 - Name of the student
 - Drug
 - Dose
 - Time it is to be taken
 - Route to be given
 - Diagnosis or reason medication is needed
- For over the counter (OTC) medications, if permitted, require written parental permission. Limit the duration of OTC medications administered at school. Use of OTC medications over an extended period warrants an authorized prescriber's oversight and authorization.

- Protect student health information confidentiality according to the Family Education Rights and Privacy Act (FERPA) and the Health Insurance Portability and Accountability Act (HIPAA).
- Train, delegate and supervise appropriate unlicensed school staff members that have the knowledge and skills to administer or assist with administration of medications as assessed by the school nurse in compliance with Alaska Board of Nursing regulations.
- Permit responsible students to carry and self-administer emergency epinephrine and inhaler medications as outlined in AS 14.30.141 Self-administration and documentation of medication.
- Provide and encourage parents to provide life-saving medications in the health office for students who carry and self-administer emergency medications as back up in the event the medication cannot be located when the student needs it.
- Always make provisions for secured and immediate access to emergency medications at school including before and after school hours and for school sponsored activities. ³

Best practice determinants ^{1, 3, 4, 5, 30}

The American Academy of Pediatrics (AAP) has prepared a position statement outlining medication administration recommendations for schools in *Guidance for the Administration of Medication in School, 2009/reaffirmed 2013*.

The [*National Association of School Nurses*](#) (NASN) pertinent position statements include:

- Delegation, Nursing Delegation in the School Setting (2019).
- Individualized Healthcare Plans to support School Health Services (2020).
- Medication Administration in Schools (Retired January 2022).
- School-Sponsored Trips, Role of the School Nurse (2019).
 - It should be noted, that at the time of publication for the 2021/2022 revision, NASN retired several position statements and implemented new resources in the form of clinical practice guidelines. The newly adopted, *School Nursing Evidence-based Clinical Practice Guidelines: Medication Administration in Schools Implementation Toolkit (2021)* also addresses the pertinent information contained in the recently retired position statements related to delegation and medication administration in schools

Roles And Responsibilities

1. School Administrator/Nursing Services Supervisor

- Assist in development of medication administration policy and procedures.
- Provide administrator support for compliance with district medication administration procedures.
- Assist nurse in educating staff and parent(s)/guardian(s) about the district's commitment to a safe policy related to medication in school.
- Be aware of liability issues related to medication administration at school, including insurance coverage, personnel covered, etc.

2. Registered Professional Nurse

- Understand recommended updates and revisions, and continually evaluate district policy and procedures related to medication administration.

- Determine who can safely provide medication administration.
- Provide guidance for special circumstances, i.e., field trips, verbal orders, etc.
- Provide a standardized training course for all personnel who will administer medications with retraining at least annually.
- Maintain a record of trainings, including course attendance, written tests, and performance evaluations demonstrating 100% mastery of course content.
- Periodically (every 90 days) monitor performance through observation of procedures, review of documentation, handling of medications, etc.
- Review and take appropriate action regarding any reported medication error.
- Take corrective action when individual to whom medication administration is delegated does not meet standard performance after consultation and retraining.
- Educate students regarding the appropriate use of medications, including the resolution of minor health problems without the use of medication.
- Share policies, procedures, and forms with authorized prescribers.

3. Trained Unlicensed School Staff

- Participate in district training related to medication policy and procedures.
- Administer medications strictly following the procedure as taught.
- Obtain medication information from the student's individual medical administration record.
- Know the specific instructions for each medication administered.
- Provide accurate documentation of medications administered.
- Call for consultation with delegating nurse when there is a question, or when a parent/guardian does not comply with policy.
- Respect student confidentiality.
- Report errors in a timely manner.
- Provide safe storage and handling of medications as outlined in district policy.

4. Parent/Guardian

- Cooperate with the district's policy regarding medication administration to:
 - Provide authorization or prescription from student's health care provider.
 - Provide written request from parent/guardian to administer medication.
 - Provide the school with the medication as outlined in the policy.
 - Communicate any changes in student's health status, medication regime, change of health care provider, etc.
 - Sign authorization for school to communicate with the student's health care provider, if needed.

5. All School Personnel

- Understand and follow school district policy and procedures related to medications.
- Understand and follow school district policy regarding self-administration of medications.

6. Prescriber

- Write a complete order including name of medication, dosage, time, frequency, and length of treatment.

- Collaborate and communicate medications instructions and pertinent information to the parent, student, and school staff, as necessary.

Training Materials Needed

- Samples of different pills and tablets.
- Samples of different types of topical medications (ear, eye, skin).
- Samples of different types of liquid medications.
- Sample of different inhaled medications (inhaler, disc).
- Sample of nasal spray medications.
- Samples of different types of medication administration dosage containers (oral syringe, medicine spoons, medicine cups);
- Samples of medication administration authorization forms and medication administration record.
- Medication error report form.

Protocols/Procedures

Guidelines for Training Unlicensed School Personnel in Medication Administration

I. Curriculum Overview

Purpose: Train unlicensed school personnel school personnel how to administer medication in the school setting.

Goal: Safe administration of oral, ophthalmic, otic, intranasal, topical, and inhalant medications. The methods of administration to be delegated should be determined by the school nurse based on health care provider orders and school district policy.

Objectives: The individuals trained will:

1. Describe their role in the delivery of medication.
2. State the general purpose of medication administration.
3. List any needed equipment and supplies.
4. Demonstrate proper administration of oral, topical, eye, ear, intranasal, and inhalant medications, including proper hand washing.
5. Demonstrate appropriate and accurate documentation of medication administration.
6. Demonstrate appropriate action if unusual circumstances occur, i.e., medication error, adverse reaction, student refusal, etc.
7. Know how and when to seek consultation from supervising nurse.

The school nurse will:

- Discuss the participant's responsibility – review the role of the unlicensed school staff
- Discuss the evaluation criteria – pre/posttest (posttest passing score= 90% or better), return demonstration and 100% evaluation of mastery, ongoing monitoring with evaluation every 90 days for school nurse delegated medications per Alaska Board of Nursing requirements
- Administer a pretest and posttest. A sample is found in Appendix B

NOTE: When delegating medication to unlicensed school staff once the training is complete, the school nurse is required by Alaska Board of Nursing regulations to develop a nursing delegation plan that describes the frequency and methods of evaluation of the performance of the delegated duty by the unlicensed school staff person. A sample delegation plan is found in Appendix L.

II. Legal Requirements ^{7, 8, 9, 10, 11, 12, 17, 23}

Review of the legal requirements for:

- Individuals with Disabilities Education Act (IDEA), Section 504 of the Rehabilitation Act and the Americans with Disabilities Act (ADA) – discuss student access to needed medications in schools
- Family Educational Rights and Privacy Act (FERPA) – discuss confidentiality (see handout, Appendix K)
- Occupational Safety & Health Administration's (OSHA) Bloodborne Pathogen Standard (29 CFR 1910.1030)- review of Universal Precautions such as hand washing, glove use and removal, cleaning and disposing of body fluids including sharps (see handout in Appendix J).
- Alaska Statutes and Regulations – discuss the Alaska Board of Nursing Delegation Decision Tree (see Appendix A), Self-administration of medication statute, and statutes providing liability protections for staff
- Local school district policies and procedures.

III. Medication Administration Procedure

Purpose of medications – medications are given to prevent or treat an illness or disease and/or to reduce symptoms related to illness or injury. Medications may also be given to replace a substance the body is lacking (e.g., insulin, thyroid medication). In school, medications are given to promote and support academic success by enhancing the student's overall health or stabilizing their chronic condition.^{1, 13}

General rules ^{3, 13, 14, 15, 16}

Safety checks: Important safety checks will help to assure safe medication administration in the school setting. These safety checks include:

- The medication is in a child resistant container.
- The presence of the original prescription label or over-the-counter medication manufacturer label which includes the name and strength of the medication and directions for use (prescription or manufacturer).
- Name of the child on container is correct for both first and last names.
- Current prescription fill date and not past the expiration date.
- Name and phone number of the licensed health professional who ordered medication is on the container or on file.
- Instructions are clear for dose, route, and time to give medication.
- The five rights of medication administration are followed.
- The same person should give medications every day, if possible.
- Assure privacy and confidentiality of the student.
- Give this task your full attention.
- Assure the work area is clear and well lit.
- Prepare the medications for one student at a time.

NOTE: Common abbreviations and measurements found on prescription labels are found in Appendix H.

Five Rights of Medication Administration




1. The right child / student

- Confirm that the student to receive the medication is the correct student.
- Ask the name if the student is unknown to you.
- If non-verbal, confirm identify with a teacher or paraprofessional.
- If photograph provided on the medication administration record, confirm the student's identity.



2. The right medication / drug

- Confirm that the medication to be given, is the medication ordered by the health care provider, is the medication the parents/guardians have given permission to be administered at school, and is the medication in the prescription labeled bottle or over-the-counter manufacturer labeled container.
- Check the medication label three times when administering the medication: 1) when removing it from secured storage, 2) when preparing the medication for administration, 3) when returning the medication to secured storage.




3. The right dose

- Confirm the amount of medication prescribed is the dose of medication to be given to the student.
- Give exactly the right amount of medication prescribed and authorized, e.g., 5ml or 5cc = one teaspoon.



4. The right time

- Confirm that the student is getting the medication at the time prescribed. NOTE: The licensed professional registered nurse may reasonably work within a time frame or window of 30-45 minutes of the prescribed time for medication administration based on priorities and nursing judgment without creating an error of omission. Any window of time granted to trained unlicensed school staff to which medication administration has been delegated should be clearly documented in the delegation plan of care by the supervising licensed professional registered nurse.
- If an over the counter, PRN (as needed) medication, check with the parent when the medication was last given at home.
- Confirm that the medication has not already been given for the current scheduled time.



5. The right route of administration

- Confirm that oral medication is given orally. NOTE: when drops are prescribed, it's essential that eye drops are administered in the eyes, ear drops are administered in the ears, and nasal drops /sprays are administered in the nose.

Often a 6th right of medication administration is added.



6. The right documentation

- Each time a medication is administered it must be documented in the student medication administration record as indicated by the nursing

protocol and procedure manual. When delegated to trained unlicensed school staff, this must be clearly documented in the delegation plan of care by the supervising licensed professional registered nurse.

Classifications Of Medications 3, 9, 13, 15, 17

Prescription Medication

Written authorization from a health care provider must accompany any long-term prescription medication to be administered at school. Health professionals with prescriptive authority include:

- Physicians, MD or DO (Doctor of Osteopathy)
- Podiatrists, DPM
- Dentists, DDS or DMD
- Optometrist OD
- Advanced Nurse Practitioner
- Physician Assistant who has a collaborative practice plan with a physician

The authorization form should be dated and include:

- a. Student name and birth date
- b. Medication
- c. Dosage
- d. Route of administration
- e. Reason the medication is prescribed
- f. Time(s) to be administered
- g. Duration of administration, i.e., entire year, 1 month, etc.

A sample prescription long term authorization form is in Appendix D; a sample short term prescription authorization form is found in Appendix E.


The authorization should be retained until superseded by a new order, until the health care provider determines that the medication is no longer required, or at the end of the school year, whichever is shorter. The request should be documented in the student's permanent health record.

Prescription medication should be brought to school in a container/package dispensed by the pharmacist with the following information clearly stated on the label:

- a. Name of student
- b. Medication
- c. Dosage
- d. Route of administration
- e. Frequency of administration
- f. Health care provider
- g. Prescription number
- h. Date issued

- *Nonprescription or Over the Counter (OTC) Medication*
Some school districts require that a written authorization from a health care provider accompany nonprescription OTC medications, as well as prescription medications, to ensure continuity of care and to prevent unintended medication interactions. Other school districts do not have that requirement, as some health care providers may be unwilling to “authorize” OTC medications in the schools since they have no control over which medications are purchased for use. The school nurse and unlicensed trained school staff should follow school district policies and procedures for OTC medications which should, in the least, entail a written request signed by the parent/legal guardian (see sample form in Appendix F) and include:
 - a. The name of the medication
 - b. The medication dose
 - c. The time for administration of the medication
 - d. The reason for the medication
 - e. A statement relieving the school of any responsibility for the benefits or consequences of the medication when it is “parent/legal guardian prescribed” and acknowledging that the school bears no responsibility for ensuring the medication is administered except when the student requests the medication. In this instance, documentation of medication administration by the licensed professional registered nurse or trained school staff delegated to administer OTC medication when requested must be completed.

OTC medication should be brought to school in the original manufacturer container/package with all labels intact. Deviations from label directions should require a written health care provider order. The school must reserve the right to limit the duration of parent/legal guardian prescribed medications and to require a health care provider authorization for continued use.



The school should retain the request until one of the following: a written order is received, the parent/guardian rescinds authorization, the health care provider discontinues medication, or at the end of the school year, whichever is shorter. The request should be documented in the student’s permanent health record.

For the school nurse, one-time verbal parental permission for specific OTC medications (e.g., acetaminophen and ibuprofen), if permitted, should be addressed in the school district’s standing protocols. The verbal authorization should be documented in the student’s record and followed by a written authorization the next working day. Trained unlicensed school staff cannot take verbal orders from a health care provider, under any circumstance. As per Alaska State Board of Nursing Regulations 12 AAC 44.965(e), the nurse must first assess the student to determine whether on-site student assessment will be required before the ongoing administration of each dose of any as needed (PRN) medication. OTC medications given on a PRN basis may not be delegated to trained unlicensed school staff when the student’s medical condition is unstable, requiring ongoing assessment and

adjustment of dosage or time of administration by a registered nurse.

- *Controlled Substances*
Pharmaceutical controlled substances are drugs that have a legitimate medical purpose, coupled with a potential for abuse and psychological and physical dependence. They include opiates, stimulants, depressants, hallucinogens, and anabolic steroids. The safe and effective use of controlled substances by students at school has increased dramatically because of their accepted use in treatment of illness and disability enabling many sick and disabled children to attend school. Unlicensed school staff are not authorized to give this class of medication on an as-needed basis (12 AAC 44.965[e]). Only routine doses of controlled substances (e.g., Ritalin, or other ADHD medications) are delegable by the school nurse to a trained unlicensed school staff after receipt of a provider order and parent/guardian consent.
- *Missed Medications*
If a student regularly takes a morning medication at home and that dose has been missed, a parent may request that a prescription bottle with extra tablets be stored at school in the event it is needed. This would require that an additional medication authorization form be completed by the provider and the parent/guardian, with a properly labeled medication bottle to address this specific dose. Prior to giving the missed dose, the school nurse must verify with the parent/guardian that the dose was missed and that a replacement dose should be given. The nurse will then verify on the medication authorization if the later daily dose (if there is one) should be given or the administration time should be adjusted. The nurse may delegate to the trained unlicensed school staff to give the missed dose.
- *Homeopathic Preparations*
Homeopathic medications are not tested by the US Food and Drug Administration for safety or effectiveness. Lack of safety information for these medications limits their appropriate use at school.
- *Herbal and Non-Herbal and Nutritional Supplements*
Herbal and Non-Herbal Nutritional Supplements may be dispensed in school only when the student's health requires that the herbal and non-herbal nutritional supplement be given during school hours. Herbal and non-herbal supplements to be dispensed at school must be in an original, unopened package with the manufacturer's seal intact, and administered before the expiration date as per AS 12.44.945. The Herbal and Non-Herbal Nutritional Supplement form (Appendix M) form must be signed by the prescribing health care provider AND a pharmacist and is required for all herbal and non-herbal supplement administration. A nurse may not administer to a patient an herbal or non-herbal nutritional supplement that was compounded for the patient rather than commercially manufactured or is a controlled substance under state or federal law as per AS 12.44.945 (c). Student self-administration of medication^{3, 10}

Student Self-Administration of Medication^{3,10}

A student, with authorization from the health care provider and parent/guardian, may carry and self-administer an asthma inhaler and/or auto injectable epinephrine medication as per AS 14.30.141. School districts should have policies and procedures in place that address self-possession and administration of these medications and others, if allowed (e.g., insulin for students with diabetes, enzymes for students with cystic fibrosis). Some schools also require a self-administration agreement to verify student understanding of their responsibilities related to appropriate self-carry and self-administration. The school


nurse must evaluate the competency and reliability of the student in self-administration.

The student's school health record should indicate when a student is able to self-administer a medication and to what extent. The record, in accordance with school policy, should indicate if the student may keep the medication with them to take as they need or if the medication should be stored in the nurse's office to assure oversight by the school nurse or trained personnel. In the latter case, the medication would be retrieved and the student observed taking the medication. Medications carried by students should be either on their person (e.g., in a designated waist pack) or in possession of a supervising adult who will return the medication pack to the student as needed or when the student moves on to a new location. Medications should never be left unattended.

For elementary-aged students, it is recommended that the self-administration of a dose of medication be reported to school personnel as soon as the self-administered dose is taken for documentation and determination of the need for additional assistance.

Routes of Administration 6, 9, 13, 14, 15, 16, 18, 19, 20, 21, 22

Trained unlicensed school staff may administer medications via the following routes: oral, intranasal, ophthalmic (eye), otic (ear), topical and inhaled. It is recommended that, except for an emergency situation, a licensed professional nurse administer rectal and injectable medications.



General Steps for Medication Administration

Regardless of route or type of medication given, the following general steps for should be followed:

1. Wash hands. Use disposable gloves if indicated.
2. Gather the necessary supplies.
3. Verify the authorization with the prescription label.
4. Review the "five rights," checking the label for the name, medication, dose, time, and route when picking up the container from the secured storage area.
5. Check the expiration date. The school nurse should be alerted if it is expired, and it should not be given.
6. Read the label for instructions and follow the directions (e.g., shake well).
7. Review the "five rights," checking the label for the name, medication, dose, time, and route when preparing the medication.
8. Prepare the medication without touching the inside of the medicine cup or contaminating the inside of the lid. Do not give the medication if it is contaminated.
9. Do not cut or crush an unscored pill without the approval of the pharmacist or health care provider.
10. Do not leave the medication unattended.
11. Review the five "rights", checking the label for the name, medication, dose, time, and route when returning the medication to the secured storage area.
12. Identify the student by asking his/her name and what medication he/she is to receive. Check the student's picture on the health record, if available.
13. Explain the procedure to the student.
14. Give the student the correct authorized medication in the correct dose via

the route specified. Medications should be given within 30-45 minutes of the scheduled time as instructed in the student's delegation plan.

15. Verify the student received the medication. Observe the student for unusual reactions.
16. Dispose of used equipment. Remove and discard gloves, if worn. Wash your hands.
17. Document immediately per school procedure, the student's name, medication, dose, time, route, person administering the medication, and any unusual observations.
18. Report unusual reactions immediately following school procedure.
19. Summarize the student's compliance with and apparent benefit (or lack of benefit) from taking this medication at school. Give this information to the school nurse, student's parent/guardian and/or healthcare provider as indicated in the Individualized Healthcare Plan (IHP).

Administering Oral Medication

- Syrup, elixir, solutions, suspensions, and tablets
 - Sublingual, put under tongue to be dissolved completely
 - Buccal, place between cheek and gums to be dissolved
1. For tablet or capsule, hold the lid or medicine cup in your hand, putting the correct dose in the lid or medicine cup. (Do not pour out tablets or capsules into your hand)
 - a. If individually wrapped, remove or separate only the quantity needed, remove from the package and place into a medicine cup at the time the student takes the medication.
 - b. Provide a glass of water unless directed not to do so.
 2. For liquid medication, pour into a medicine cup from the side of the bottle opposite the label.
 - a. Pour the liquid into a graduated medicine cup at eye level.
 - b. Measure the dosage at the bottom of the disc (meniscus).
 - c. Wipe any medication from the outside of the container.
 3. Give the medication to the student and observe them taking it verifying the student swallowed it.

Administering Ophthalmic (Eye) Medication

1. Wash your hands and put on gloves.
2. Remove any secretions, wiping once from the inner to the outer eye with a cotton ball or tissue. Use a new clean cotton ball or tissue for each eye.
3. Position the student lying down or sitting with head tilted back with eyes looking up. Approach the eye from outside the field of vision.
4. Instruct the student to look up and, using your index finger, gently pull the lower eyelid down to form a pocket.
5. For drops, if using a dropper, loosen the lid and squeeze to fill the dropper.
 - a. Gently squeeze the dropper or eye drop bottle to instill the correct number of drops (wait one minute between drops) into the pocket holding the dropper about ½ inch above the pocket. Placement into the pocket

- instead of directly into the eye is more comfortable for the student. Brace your hand on the student's nose or cheek to prevent shaking.
- b. Do not touch the eye with the dropper or tip of the bottle.
 - c. Slowly release the lower lid and instruct the student to allow the eyes to close gently. Blinking and squeezing the eyes shut may force the medicine off the eye. Ask the student to close his/her eyes for a few minutes.
 - d. Press gently for one minute against the inner corner of the eyelids by the nose to block off the tear drainage system so the medicine does not drain away from the eye.
6. For ointment, gently squeeze a 1-2 cm thin strip of ointment along the pocket from the inner to the outer eye.
 - a. Slowly release the lower lid and instruct the student to close the eyelid and move the eye around to distribute the ointment.
 - b. Remove excess ointment from inner to outer eye with a new clean cotton ball or tissue. If treating both eyes, use a new clean cotton ball or tissue for each eye.
 - c. Inform the student that their vision may be blurred temporarily.
 7. Remove gloves, discard, and wash hands.

Administering Otic (Ear) Medication

1. Warm medication to room temperature by holding the bottle in your hands for a few minutes. This will prevent dizziness from cold drops.
2. Position the student lying down or sitting with their head turned with the affected ear up.
3. Cleanse entry to ear canal with clean cotton ball as needed.
4. If a dropper is supplied, loosen the dropper lid and squeeze to fill the dropper to the desired amount.
 - a. Hold the dropper tip down at all times to avoid the medicine from flowing back into the bulb where germs can enter.
5. Straighten the ear canal
 - a. Infant to children age 3 – pull down and back on the earlobe.
 - b. Older children/adults – pull up and back on the earlobe.
6. Rest your dominant hand on the student's head to stabilize the area.
7. Administer correct number of drops aimed toward the walls of the canal rather than directly into the eardrum taking care not to touch the ear with the dropper.
8. Place the cap or dropper in the medicine bottle right away. Do not rinse or wipe it off.
9. Unless instructed otherwise, insert a small piece of cotton loosely into the external canal.
10. Ask the student to maintain the position for at least one minute to give the medicine time to coat the ear. Wait at least one minute before putting drops in the second ear, if ordered.

Administering Intranasal (Nose) Medication

1. Instruct the student to gently blow their nose into a tissue and have them discard

the tissue. Clean tissues should be kept at hand so that residue can be wiped away and for the student to use to cover their mouth and nose if a sneeze is stimulated.

For drops, position the student lying down or sitting with head tilted back. Press gently on the tip of the nose to open the nares and insert the dropper just inside the nostril to administer the correct number of drops. Do not touch the dropper or tip of bottle to the nostril. Have the student remain in this position for a few minutes to assure that the medication reaches the upper nasal passages.

2. For spray, position student with head upright and insert the nozzle part way into the nose. Aim nozzle tip slightly to the top of the ear on the same side of the nostril being used. Student can be told to “sniff like smelling a flower” as the medication is delivered.
3. Instruct the student to refrain from blowing their nose afterwards to maximize medication absorption.
5. The student may wish to rinse mouth with water and expectorate any medication that drains into the mouth.

Administering Topical Skin Medication

Topical medications are those that are administered externally onto the body rather than ingested or injected. Medicines administered to the eye, ear and nose are considered topical medications but were addressed separately above. In this section, topical medications applied to the skin are reviewed; these include lotions, creams, ointments, powders, and solutions (liquids). Topical medicines are often used to deliver medication directly onto the areas of skin that are irritated, inflamed, itching, or infected.

1. Wash your hands and apply gloves.
2. Unless otherwise instructed, cleanse the affected area with soap and warm water, rinse and pat dry with paper towel or allow the skin to air dry.
3. Place the prescribed amount of topical medication onto the gloved hand, gauze, cotton tipped applicator or a tongue depressor to apply to the affected area.
4. Cover the affected area with a bandage or dressing, if directed.
5. Remove gloves, discard, and wash hands.

Administering Inhaled Medication

Follow the individual student plan which may include self-administration and self-management with the student carrying the medication for immediate availability. Inhalant medication varies depending on the type of inhaler. Follow the specific instructions per the inhaler type. The following are general instructions for a metered dose inhaler (MDI):

1. Position the student standing or sitting up straight.
2. Remove the mouthpiece cap and shake the inhaler.
3. Prime the inhaler to release one dose of medication into the air if the MDI is new or has not been used in several days to ensure adequate dosing.
4. Instruct the student to exhale fully.



5. If using a spacer or chamber, insert the MDI mouthpiece into the device and have the student put the chamber mouthpiece in their mouth. Use of a spacer or holding chamber is preferred for younger students.
6. If not using a spacer or chamber, instruct the student to place the mouthpiece into his/her mouth (between the teeth) and close their lips around it.
7. Instruct the student to keep his/her tongue out of the way.
8. Instruct the student to begin to inhale slowly, and then activate the inhaler.
9. Instruct the student to continue to inhale slowly for 3-5 seconds, filling their lungs.
10. Instruct the student to hold their breath for 10 seconds, as able, and then slowly breathe out.
11. Wait at least one minute, if a second dose is to be given, and repeat the previous steps.
12. Replace the cap on the medication. Rinse the spacer mouthpiece with warm water shaking off the excess moisture or follow the manufacturer's guidelines. Allow to air dry completely before storing in a sealed plastic bag.
13. Use the short-acting bronchodilator inhaler before using inhalers containing an anti-inflammatory or corticosteroid, if ordered.
14. Have the student rinse their mouth after corticosteroid inhaler use.
15. Monitor the student for changes in respiration.

Documentation 6, 13, 15, 17, 23



Documentation is the 6th right of medication administration. The individual student medication administration record is used to document the administration of all medications, both routine and as needed. The record should identify:

- Student's name
- Prescribing health care provider name and credentials, if prescription
- Pharmacy and prescription number
- Medication and dosage
- Route of administration
- Time of administration
- Full signature of licensed professional registered nurse responsible for administration
- Full signature of trained unlicensed school staff, if administration is delegated
- Section for comments and narrative notes

Other information should be included in the student's medication administration plan (as part of the Individualized Healthcare Plan) developed by the school nurse, in collaboration with the parent or guardian:

- The medication order from the licensed prescriber
- Signed authorization of the parent or guardian
- Diagnosis, unless a violation of confidentiality or the parent or guardian requests that it not be documented
- With parental permission, other persons, including teachers, to be notified of medication administration and possible side effects
- Initial nursing assessment

- Any known student allergies
- Potential side effects, adverse reactions, or contraindications
- Required storage conditions
- Duration of administration
- If appropriate, location where the medication is to be administered
- A plan for monitoring the effects of the medication
- Designation of unlicensed school staff who will administer the medication to the student in the absence of the nurse and plans for back up
- Plans for provision of the medication on field trips and for school sponsored activities
- Plans, if any, for teaching self-administration of the medication

Regardless of the system used the purpose of documentation, from a legal perspective, is to always accurately and completely record the care given to the individuals, as well as their response to that care.

Each time a medication has been administered, documentation must occur in ink, by the person administering it, immediately on an individual student record (log) according to school district policies and procedures. Documentation must be complete and legible. If the medication is given more than once by the same person, he/she may initial the record subsequent to signing a full signature.

It is essential that the licensed registered nurse or delegated trained school staff be able to unequivocally match the student's name, medication, dosage, administration time and route to the student's medication record to avoid medication errors.

Any changes in medication, including dosage and/or time of administration should be accompanied by:

- New health care provider (if prescription) and parent/legal guardian authorization forms with signatures
- New container/package appropriately labeled by the pharmacist.
- An additional assessment provided by the licensed professional registered nurse

Medication administration records should be filed with the individual student health record when completed and retained for one year. Substantive medication information may be included in the student cumulative health record by the nurse.

Medication Errors 13, 15, 23

A medication error is a deviation from the standard of care for the student concerning correct medication delivery and includes the following:

- Omitted doses
- Incorrect doses
- Incorrect time of administration
- Incorrect student
- Improper injection techniques
- Incorrect route of administration

Incorrect documentation can also occur. Ink should be used for all written documentation. When a documentation mistake occurs, a single line should be drawn through the erroneous entry to identify it as erroneous then the correct information entered and

initialed. Correction tape, “white out” or an eraser should NOT be used.

If a medication error occurs, observe the student for any untoward effects. Always check the level of consciousness and breathing of the student first. If breathing problems, seizures, or difficulty arousing the student, call 911.

Poison Control is another resource that can provide emergent information when a medication mistake has been made. Call Poison Control when a medication is given to the wrong student or an overdose of medication is suspected. 1-800-222-1222.

School district policy and procedure dictates who is to be notified and what order, including the licensed prescriber if there is a question of potential harm to the student. The medication error should be documented using a medication incident report form. A sample one is found in Appendix G.

Proper Storage and Handling 3, 6, 13, 14, 15

All medications should be brought to the school and stored in the original pharmacy or manufacturer labeled container. All medications maintained in the school setting (other than emergency medications and those approved for self-administration by specific students) should be kept in a locked and secured cabinet or drawer used exclusively for medications, in a room that can be locked. Medications requiring refrigeration should be kept in a secured refrigerator inaccessible to students or staff and should never be stored with food. Topical medications should be stored separately from internal medications.

Controlled medications (e.g., Ritalin) must be counted upon receipt, be stored in a double-locked cabinet or drawer and inventoried at least weekly. A record of the drug count should be maintained in a log or on the student’s medication record. Self-administration of controlled substances should never be permitted in the school setting. Any count discrepancies should be reported to the school nurse to enable further investigation.

Expiration dates on any medications should be checked on a routine basis and not be used after the expiration date.

Access to stored medications should be limited to the building principal and persons authorized to administer medications and to self-medicating students. Students who are self-medicating must not have access to other student’s medications. Access to keys must be restricted to the extent possible.

Needles, lancets, syringes, and other medical sharps should be sealed in puncture proof container labeled BIOHAZARD and properly disposed of.

Ideally, no more than a 30-day supply of prescribed medication should be stored at school. Medications no longer being used should be returned to the parent/ guardian and the return documented. With parent/guardian consent, medications may be destroyed by the school nurse, witnessed by another individual, and appropriately documented. All medications should be returned or destroyed at the end of the school year. Care should be taken not to flush any drugs into the water system unnecessarily.

Resources include:

- State of Alaska Fact Sheet: Prescription Medicine and Veterinary Medicine Disposal
- Federal Drug Administration: How to Dispose of Unused Medications

Common Side Effects and Allergic Reactions 13, 16, 24, 25, 26, 27, 28

The unlicensed school staff should be vigilant for any change (physical or behavioral) in the student’s condition especially during the first few days after a new medication has been introduced. Some medications may require time for them to obtain optimal blood levels before seeing their side effects. This can be particularly true with drugs

affecting behavior such as anti-depressants or psychotropics. It is the responsibility of the unlicensed school staff to observe and report any changes in physical or behavioral well-being to the school nurse and/or parent. The observations should be documented on the student record including to whom and when they were reported.

Signs and Symptoms of an allergic reaction and/or ANAPHYLAXIS (severe, life-threatening allergic reaction)

- Mouth: Itching, tingling, or swelling of lips, tongue, mouth
- Skin: Hive, itchy rash, swelling of face or extremities
- *Gut: Nausea, abdominal cramps, vomiting, diarrhea
- * Throat: Tightening of the throat, hoarseness, hacking cough
- *Lung: Shortness of breath, repetitive coughing, wheezing
- *Heart: Thready pulse, low BP, fainting, pale, blueness
- *Neuro: Disorientation, dizziness, loss of consciousness

*Potentially life-threatening

What to do:

If potentially life-threatening symptoms*

- CALL 911. State that an allergic reaction is occurring. Stay with the student.
- Give epinephrine, if trained in administration and epinephrine is available. If epinephrine is prescribed for that student, follow the student Allergy/Anaphylaxis Plan. Further epinephrine may be necessary if symptoms persist or recur. NOTE: Never delay the administration of Epinephrine when potentially life-threatening symptoms* are observed or reported. Only a few symptoms may be present, and severity of symptoms can change quickly.
- Treat for shock and prepare to administer CPR. Keep student supine with feet elevated after administration of epinephrine to prevent hypovolemia and distributive shock which results in "Empty Heart Syndrome."
- Call parents/guardians to notify of reaction and need for emergency care.
- Notify school nurse and health care provider.

If mild symptoms only

- Stay with the student and monitor for progressive symptoms (see above).
- Contact the school nurse, health care provider and parent.
- An antihistamine may be necessary.

Medications Commonly Administered in the School Setting:

- *Antibiotics (examples: Amoxicillin, Cephalexin)*
Purpose: To treat certain infections caused by bacteria such as pneumonia and bone, ear, skin, and urinary tract infections.
Side effects: Allergic reaction, rash, diarrhea, upset stomach, vomiting.
- *Asthma:*
Short-acting bronchodilator inhalers (examples: Albuterol, Ventolin, Proventil, Maxair, ProAir HFA, Xopenex HFA)
Purpose: To relax tight airways and treat coughing, wheezing and shortness of breath for 3-6 hours
Side effects: Tremor, nausea, tachycardia, palpitations, nervousness, increased

blood pressure, dizziness, headache, irritated throat, and epistaxis; Maxair - arrhythmia, hypotension, hyperactivity, diarrhea, dry mouth, anorexia, bad taste, abdominal pain, rash, edema.

- *Long-acting bronchodilator inhalers* (examples: Foradil aerolizer, Serevent Diskus)

Purpose: To relax tight airways over time. DO NOT USE TO TREAT SUDDEN EPISODES OF COUGHING, WHEEZING, OR SHORTNESS OF BREATH. Do not use more frequently than every 12 hours.

Side effects: Palpitations, fast heart rate, elevated blood pressure, tremor, nervousness, and headache. Throat and upper airway irritation, nausea, dizziness, nervousness, dry mouth, stomach upset, tiredness, trouble sleeping, hoarseness.

- *Anticholinergic inhalers* (examples: Atrovent HFA, Combivent, Spiriva HandiHaler)

Purpose: To use in combination with short-acting bronchodilators to open large airways and reduce mucus. DO NOT USE TO TREAT SUDDEN EPISODES OF COUGHING, WHEEZING, OR SHORTNESS OF BREATH.

Side effects: Dry mouth, cough, headache, nausea, dizziness, rash, itching, difficulty breathing, nervousness, tremor, palpitations, fast heart rate, elevated blood pressure, heartburn, throat irritation, nosebleeds.

- *Inhaled Anti-Inflammatories* (examples: AeroBid, Alvesco, Asmanex, Asmacort, Flovent Diskus or HFA, Intal, Plumericort Flexhaler, QVAR)

Purpose: To reduce and prevent airway inflammation. DO NOT USE TO TREAT SUDDEN EPISODES OF COUGHING, WHEEZING, OR SHORTNESS OF BREATH.

Side effects: Dry or irritated throat and mouth, cough, difficult or painful speech, hoarseness, a bad taste in the mouth, headache, voice changes.

- *Combination medications* (examples: Advair Diskus or HFA, Symbicort)

Purpose: Contain both long-acting bronchodilator and inhaled corticosteroid. DO NOT USE TO TREAT SUDDEN EPISODES OF COUGHING, WHEEZING, OR SHORTNESS OF BREATH. Do not use more frequently than every 12 hours.

Side effects: Upper respiratory tract infections, headaches, nausea, vomiting, diarrhea, mouth or throat candidiasis, musculoskeletal pain.

- *Corticosteroids* (examples: Prednisone, Prednisolone)

Purpose: Oral anti-inflammatory

Side effects: Dry mouth, tremors, vomiting, diarrhea, nervousness, insomnia, headache, and increased heart rate, dizziness, extreme changes in mood, changes in personality, bulging eyes, acne, thin/fragile skin, red or purple blotches or lines under the skin, slowed healing of cuts and bruises, increased hair growth, changes in the way fat is spread around the body, extreme tiredness, weak muscles, irregular or absent menstrual periods, decreased sexual desire, heartburn, increased sweating, retention of sodium (salt) and fluid, weight gain, high blood pressure, loss of potassium, puffiness of the face (moon face), glaucoma, cataracts, ulcers in the stomach and duodenum, worsening of diabetes, rounding of the upper back ("buffalo hump") retardation of growth in children, convulsions.

Allergies

- *Antihistamines* (examples: Dimetane, Chlor-Trimeton, Periactin, Dimetapp, Dramamine, Benadryl, Claritin, Phenergan, Pyribenzamine, etc.)

Purpose: To decrease allergic response

Side effects: Drowsiness, confusion, nervousness, dry mouth/nose/throat, dizziness, nausea, vomiting, loss of appetite, constipation, increased chest congestion, headache, muscle weakness, excitement (especially in children).

Mental Health (many of these drugs are Schedule II controlled substances)

- *Adderall* (Amphetamine Sulfate)
Purpose: Attention Deficit Hyperactivity Disorder (ADHD) and narcolepsy
Side effects: Loss of appetite, weight loss, insomnia, headache, dry mouth, and nausea.
- *Clonidine*
Purpose: ADHD, other mental health disorders and hypertensive
Side effects: Constipation, dry mouth, fatigue, drowsiness, weakness, headache, nervousness, nausea, vomiting.
- *Dexedrine* (Dextroamphetamine Sulfate)
Purpose: ADHD, narcolepsy, obesity (short-term)
Side effects: Agitation/irritability, insomnia, dry mouth, headache, nausea, weight loss.
- *Dextrostat*
Purpose: ADHD and narcolepsy
Side effects: Loss of appetite, insomnia, headache, dry mouth, nausea.
- *Ritalin, Concerta* (methylphenidate)
Purpose: ADHD and narcolepsy
Side effects: Joint pain, nervousness, insomnia, reduced appetite, nausea, abdominal discomfort, headache, dizziness, rapid heart palpitations.
- *Serotonin reuptake inhibitors* (Zoloft, Paxil, Prozac, Celexa, Lexapro)
Purpose: Major depressive disorder, obsessive-compulsive disorder
Side effects: Nausea, headache, insomnia, diarrhea or constipation, dry mouth, tremors or tics, anxiety, mania, depression worsening, increased blood pressure and pulse, rash, heavy sweating, confusion, seizures. Monitor for suicidal ideation, mood/behavior change, serotonin syndrome.
- *Atypical anti-depressants* (Wellbutrin, Remeron, Trazodone)
Purpose: Major depressive disorder, ADHD
Side effects: Anxiety, restlessness or agitation, drowsiness or fatigue, dry mouth, nausea or anorexia, dizziness or blurred vision, suicidality, headache, psychosis, hallucinations or paranoia, sweating. Monitor for suicidality, depression worsening, severe hypertension.

Over-the-counter (reminder: OTC medications are not completely safe)

- *Ibuprofen* (examples: Advil, Nuprin)
Purpose: Non-steroidal anti-inflammatory to treat mild pain, reduce

inflammation or fever

Side effects: Stomach upset/irritation, nausea/vomiting, constipation, and diarrhea.

- *Acetaminophen* (example: Tylenol)
Purpose: Treat mild pain, reduce fever.
Side effects: Liver damage.

Emergency Medications (NOTE: these medications are injectable or an as-needed controlled substance and are not addressed in this training curriculum)

- *Epinephrine autoinjector* (example: Epi Pen, Twinject, Auvi-Q)
Purpose: Used in an emergency to treat or prevent anaphylaxis. May be self-administered.
Side effects: Upset stomach, vomiting, sweating, dizziness, nervousness, weakness, pale skin, headache, shaking hands that you cannot control.
- *Glucagon*
Purpose: Used in an emergency in which a person with diabetes is hypoglycemic and unresponsive.
Side effects: Nausea, vomiting, rash, itching.
- *Rectal diazepam* (Diastat)
Purpose: Used in emergency situations to stop cluster seizures (episodes of increased seizure activity) in people who are taking other medications to treat epilepsy (seizures). Diazepam is in a class of medications called benzodiazepines. It works by calming abnormal over-activity in the brain.
Side effects: Drowsiness, dizziness, headache, pain, stomach pain, nervousness, flushing, diarrhea, unsteadiness, abnormal 'high' mood, lack of coordination, runny nose, problems falling asleep or staying asleep.

Resources for Drug Information:

Sources of information regarding specific drug information, adverse reactions, interactions, and toxicity can be obtained by the utilizing reputable online resources and reference books (see Resource Section) and/or by contacting the pharmacist, school nurse or health care provider. Medication manufacturers provide a medication insert when filling the prescription that also contains information about prescription medication.

When To Contact The School Nurse ^{13, 16}

When something is out of the ordinary and there are concerns about whether or not to administer medication or concerns about a reaction a student may have, the school nurse should be contacted. If the school nurse is not able to be reached in a timely manner, the student's parent/guardian or health care provider should be contacted. Contact when:

- New medication is received at school or there is a change in the dose
- Medication label cannot be read clearly, or the medication is not supplied in the original container
- Medication does not appear to be correct – not the same as usual
- Medication is expired or supply is depleting

- Student refuses to take the medication
- The student has unusual symptoms after taking the medication, including an allergic reaction or vomiting
- A medication error has occurred

Limitations ^{9, 13}


- Injectable medications may not be delegated by a registered nurse to unlicensed school staff. Unlicensed school staff may be trained in administering injectable emergency and diabetic medications, such as epinephrine and glucagon, when authorized by the parent and trained by a registered nurse. Injectable medications are addressed in a separate training document.
- Rectal medications administered in the school setting are often provided in an emergency on a PRN (as needed) basis, as in rectal seizure medications. Rectal seizure medications are controlled substances that may not be delegated by a registered nurse to unlicensed school staff. Unlicensed school staff may be trained in administering rectal seizure medications, such as diazepam rectal gel, when authorized by the parent and trained by a registered nurse. Rectal medications are not addressed in these guidelines.
- PRN (as needed) medications may not be delegated to unlicensed school staff when the student's medical condition is unstable, requiring ongoing assessment and adjustment of dosage or time of administration by a registered nurse.
- Medications should not be crushed or cut if they are unscored unless there is specific approval of the health care provider.
- Each delegation is student specific. Trained school staff may only administer medications to the student for whom the medication is prescribed, and the staff is trained. Trained school staff may not delegate medication administration to other persons or give medication from another student's container. Documentation for medication administration is student specific.
- A student may refuse to take a medication and cannot be forced to do so. The school nurse and/or parent should be notified.
- Verbal orders from parents or health care providers should not be received by school staff other than a registered nurse. The parental authorization and/or health care provider order should be in writing.

Return Demonstration and Posttest ⁶

Review the trained unlicensed school staff responsibilities a second time. Complete the evaluation of mastery form and the post test. Mastery is 100% accuracy on return demonstration. The trainee must pass the posttest with a score of 90% or better. Inform the trained staff that an evaluation of their continued competency for all school nurse delegated medication administration tasks will occur every 90 days per Alaska Board of Nursing Regulations. See Appendix B for a sample pre- and post-test. In Appendix C, a sample evaluation of mastery checklist is provided that contains continued competency documentation.

Appendix A

SAMPLE Medication Administration Delegation Decision Tree



The Alaska Board of Nursing approves and supports this plan based on 12 AAC 44.950- 12 AAC 44.975 04.02.2012

Appendix B

SAMPLE Medication Administration -Pre- and Posttest

True/False

1. T F Medication administration at school requires a parent(s)/guardian(s) written request.
2. T F Medications may be brought to school in any container as long as the parent has labeled it.
3. T F Medications may be stored in an unlocked cabinet in a locked school.
4. T F Record medication administration prior to giving the medication.
5. T F You should report immediately if a student refuses to take a scheduled medication.
6. T F Prescription medications are the same as over-the-counter medications.
7. T F Proper hand-washing is very important in fighting the spread of germs.
8. T F It is okay to put tablets and capsules into the student's hand if you are careful.
9. T F Unwrap individually wrapped medications when you are ready to give the medication.
10. T F Measure liquid medications at eye level to assure proper dosage.
11. T F You may apply topical medications such as ointments, creams, and lotions using your fingers if you wash your hands first.
12. T F If you are unsure about how to administer a medication, check with the school nurse before giving it.
13. T F You should report any change noticed in the student's condition.
14. T F A student, with authorization from the health care provider and parent/guardian, may carry and self-administer an asthma inhaler and/or auto injectable epinephrine medication.
15. T F Drug legislation is designed to ensure the public's safety and to regulate the manufacture and sale of safe drugs.
16. T F A legal prescriber includes a physician (MD or DO), podiatrist, dentist, nurse practitioner or physician assistant (who works in collaboration with a physician).
17. Drugs are classified as:
 - a. Over-the-counter (OTC)
 - b. Controlled substances
 - c. Prescription medication
 - d. All of the above
18. The first action you should take when you are unclear about administering a medication is:
 - a. Check with the student
 - b. Check with the prescriber
 - c. Do not administer the medication
 - d. Use your judgment

19. The record of medication administration includes:
- Name of the student
 - Date
 - Time medication is given
 - All of the above
20. The student does not come for medication at the right time. You should:
- Check with the classroom teacher, attendance office, or principal
 - Call the student's parents
 - Notify your supervising school nurse immediately
 - Call the physician
21. A student vomits after taking a medication. You need to report:
- Student's name and age
 - Medication and dosage
 - Time interval between medication administration and vomiting
 - All of the above
22. You make an error in giving a medication. You should immediately:
- Report the error following school policy guidelines
 - Fill out an incident report
 - Induce vomiting
 - Notify the student's parent/guardian and physician
23. Wash your hands:
- 1, 2, 5
 - 3, 4, 6
 - All of these
 - None of these
1. Before giving each student's medication
 2. After giving each student's medication
 3. At the beginning of the day
 4. After using the restroom
 5. Between giving each student's medication
 6. After removing gloves
24. Each time you give a medication, you should:
- Perform proper handwashing techniques
 - Check the "five rights"
 - Fill out the medication log
 - All of the above
25. A student is taking two liquid medications. You should do all except:
- Measure the liquid using a medicine cup
 - Mix two liquid medications in the same cup
 - Hold the bottle with the label facing your palm
 - Measure the dosage at the bottom of the disc (meniscus)
26. Administration of eye drops includes:
- Approach the student from inside his field of vision
 - Touch the eye with the dropper
 - After administration, ask the student to close his eyes for a few minutes
 - Blot excess from the outside of the eye to the inside

27. When administering ear drops:
- Warm the medication by rolling the bottle in your hands for a few minutes.
 - Wait at least one minute before putting drops in the second ear
 - Touch the ear with the dropper.
 - All but c
28. Qualified school personnel may administer medication by injection:
- In situations where no previous training has occurred
 - In emergency situations such as allergic reactions
 - Both a and b
 - None of the above
29. Monitoring student self-administration by inhaler does not include:
- Exhale immediately after inhalation for medication to settle
 - Reminding the student to take medication
 - Shaking the inhaler for two seconds
 - Waiting at least one minute before the second inhalation
30. Alternative medications, such as herbal or homeopathic medications are:
- Not tested by the US Food and Drug Administration for safety or effectiveness
 - Not delegable to unlicensed school staff by a registered nurse in Alaska
 - Not authorized for administration by a school nurse if they contain one or more herbs or are not commercially prepared
 - All of the above
31. The role of the trained school staff person to administer medication include all except:
- Responsibility in following medication administration procedures
 - Obtain medication information from the student's individual medication record
 - No accountability for errors
 - Know the specific instructions for each medication administered
32. The best definition of medication is:
- A synthetic and artificial substance prepared in labs from chemicals
 - A substance to prevent, diagnose, cure or relieve disease
 - The generic name is designated and patented by the manufacturer
 - A substance which is unlikely to produce adverse effects
33. Reliable sources of medication information include all of the following except:
- Wikipedia
 - Drug reference books
 - School nurse or nurse supervisor
 - Pharmacist
34. You have an order to give Ritalin 5mg daily at 12 noon. What is the minimum of times you should check the medication label before giving the medication?
- 3
 - 1
 - 4
 - 2

35. The five rights for medication administration are:
- a. right medication, right route, right date, right dose, right time
 - b. right student, right medication, right time, right prescription, right date
 - c. right dose, right route, right date, right symptoms, right medication
 - d. right time, right student, right medication, right route, right dose
36. When it comes to medication administration, "Universal Precautions" means:
- a. proper hand-washing before and after giving medications
 - b. a set of protocols that treats all body fluids as if they are contaminated
 - c. watch a student self-administer medication so that you do not have to touch the medication
 - d. all but C
37. A student comes to your office and gives you a note from their parents telling you to give them Tylenol. What is the best course of action?
- a. give the Tylenol
 - b. call the principal
 - c. contact your school nurse so that they can contact the parent
 - d. tell the student you cannot give them Tylenol and send them back to class with the note
38. You should document each medication that you administer:
- a. before giving them to the student
 - b. right after giving them to the student
 - c. at the end of the school day
 - d. whenever you get around to it
39. The student tells you that the medication you are giving them is incorrect. You should
- a. give it to them anyway
 - b. tell them it is a new medication and they should still take it
 - c. do not give the medication; contact the nurse and the student's parent/guardian
 - d. tell them the medication just looks different, but it is probably the same thing they took yesterday
40. Before giving any medication, which of the following must be checked:
- a. Medication time and route
 - b. Student name
 - c. Medication name and dose on the medication bottle against the medication record
 - d. All the above

_____ **Total score**

Possible score – 40 points

Score 36 point = 90% mastery

Comments: _____

Pre- and Posttest Answer Key

- | | |
|-------|-------|
| 1. T | 33. A |
| 2. F | 34. A |
| 3. F | 35. D |
| 4. F | 36. D |
| 5. T | 37. C |
| 6. F | 38. B |
| 7. T | 39. C |
| 8. F | 40. D |
| 9. T | |
| 10. T | |
| 11. F | |
| 12. T | |
| 13. T | |
| 14. T | |
| 15. T | |
| 16. T | |
| 17. D | |
| 18. C | |
| 19. D | |
| 20. A | |
| 21. D | |
| 22. A | |
| 23. C | |
| 24. D | |
| 25. B | |
| 26. C | |
| 27. D | |
| 28. B | |
| 29. A | |
| 30. D | |
| 31. C | |
| 32. B | |

Total score _____

Possible score – 40 points

Score 36 point = 90% mastery

Appendix C

SAMPLE Medication Administration Evaluation of Mastery

Trainee Name _____ School Nurse _____

General Medication Administration	Initial Exp/ Demo Date	Every 90 days Date	Every 90 days Date	Every 90 days Date
General Medication Administration				
A. States name and purpose of task and location of supplies				
B. Identifies supplies needed.				
C. Preparation:				
1. Reviews Universal Precautions.				
2. Locates supplies in secured storage area. Locates student medication administration record. Verifies authorization.				
3. Reviews five "rights" of medication when removing medication from secured storage area, when preparing medication and when returning medication to secured storage area.				
4. Checks expiration date and reads label and medication record for instructions.				
5. Prepares medication without contamination.				
D. Procedure:				
1. Demonstrates proper handwashing. Puts on disposable gloves, if indicated. Oversees student washing hands if also handling medication.				
2. Demonstrates proper identification of student. Asks for student first and last name and what medication he/she is to receive. Checks student identity with name and photo (if available) on medication record and with medication label.				
3. Explains procedure to student and positions him/her properly for procedure.				
4. Administers the medication to the correct student				
5. Administers the correct medication.				
6. Administers the correct dose.				
7. Administers at the correct time.				
8. Administers by the correct route.				
9. Verifies student received the medication and observes the student for unusual reactions.				
10. Disposes of used equipment. Appropriately removes and discards gloves, if worn. Washes hands.				
11. Documents immediately and appropriately per school procedure.				
12. States reporting measures if unusual reactions were to occur.				

General Medication Administration	Initial Exp/ Demo Date	Every 90 days Date	Every 90 days Date	Every 90 days Date
Administering Oral Medication				
1. Demonstrates putting correct dose in the medication cup.				
a. If individually wrapped, tears off number needed, removes from package at time student takes the medication. Provides glass of water unless directed not to do so.				
b. If liquid, pours from the side of the bottle opposite the label into graduated medicine cup at eye level, measuring at bottom of meniscus. Wipes any medication from the outside of container.				
Administering Ophthalmic (Eye) Medication				
1. Cleanses eye with clean cotton ball or tissue wiping once from the inside to the outside. Uses new cotton ball or tissue for each eye.				
2. Positions the student lying down or sitting with head tilted back and eyes looking up.				
3. Approaches eye from outside field of vision.				
4. Uses index finger to gently pull lower eyelid down to expose conjunctiva sac (pocket).				
5. For eye drops:				
a. Gently squeezes the dropper or eye drop bottle to instill the correct number of drops into the conjunctiva sac.				
b. Does not touch the eye with the dropper or tip of bottle.				
c. Slowly releases the lower lid and instructs the student to keep eye closed for a few minutes.				
6. For eye ointment:				
a. Gently squeezes 1-2 cm thin strip of ointment along conjunctiva sac from inner to outer eye.				
b. Slowly releases lower lid and instructs the student to close the eyelid and move the eye around to distribute the ointment.				
c. Removes excess ointment from inner to outer eye with a new cotton ball or tissue for each eye treated.				
d. Informs the student that their vision may be blurred temporarily.				
Administering Otic (Ear) Medication				
1. Warms medication by holding bottle in hands for a few minutes.				

Evaluation of Mastery – Medication Administration	Initial Exp/ Demo Date	Every 90 days Date	Every 90 days Date	Every 90 days Date
Administering Oral Medication				
2. Positions student lying down or sitting up with their head turned with the affected ear up.				
3. Cleanses entry to ear canal with clean cotton ball as needed.				
4. If a dropper is supplied, squeezes to fill the dropper to the desired amount.				
5. Straightens the ear canal by pulling outer ear gently down and back (ages 3 and under) or up and back (older children and adults).				
6. Administers the correct number of drops aimed toward the wall of the canal without touching the ear with the dropper.				
7. Loosely places a cotton ball in the external canal, unless instructed otherwise.				
8. Asks the student to maintain the position for at least one minute. If treating both ears, waits at least one minute between ears.				
Administering Intranasal (Nose) Medication				
1. Instructs the student to gently blow their nose into tissue and discard it.				
2. For drops, positions the student lying down or sitting up with head tilted back. Presses gently on the tip of the nose to open the nares and inserts the dropper just inside the nostril to administer the correct number of drops. Does not touch the dropper or tip of bottle to the nostril. Asks the student to maintain position for a few minutes to assure medication reaches upper nasal passages.				
3. For spray, position student with head upright and insert the nozzle part way into the nose. Aim nozzle tip slightly to the top of the ear on the same side of the nostril being used. Student can be told to “sniff like smelling a flower” as the medication is delivered.				
4. Instruct the student to refrain from blowing their nose afterwards to maximize medication absorption.				
5. Asks the student if they wish to rinse their mouth with water and expectorate any solution that has drained into their mouth.				
Administering Topical Skin Medication				
1. Cleanses the affected area with soap and warm water, unless other instructed. Rinses and allows area to dry or pats dry with paper towel.				
2. Applies prescribed amount of topical medication to affected area with gloved hand, gauze, cotton tipped applicator or tongue depressor.				
3. Covers the affected area with a bandage or dressing as directed.				

Evaluation of Mastery – Medication Administration	Initial Exp/ Demo Date	Every 90 days Date	Every 90 days Date	Every 90 days Date
Administering Inhaled Medication				
1. Positions student standing or sitting up straight.				
2. Removes the cap and shakes the inhaler gently back and forth.				
3. Primes the inhaler to release one dose of medication into the air if the MDI is new or has not been used for several days to ensure adequate dosing.				
4. Instructs the student to exhale fully.				
5. If using a spacer or chamber, inserts the MDI mouthpiece into the device and has the student place the chamber mouthpiece into their mouth.				
6. If not using a spacer or chamber, instructs the student to place the MDI mouthpiece into his/her mouth between the teeth and close their lips around it.				
7. Instructs the student to keep their tongue out of the way.				
8. Instructs the student to begin to inhale slowly then activate the inhaler.				
9. Instructs the student to continue to inhale slowly for 3-5 seconds, filling their lungs.				
10. Instructs the student to hold their breath for 10 seconds, as able, and then slowly breathe out.				
11. Waits at least one minute if a second dose is given, repeating the previous steps.				
12. Replaces the cap, rinses the spacer (or follows manufacturer's guidelines, if available), and allows to dry before storing in sealed plastic bag.				
13. Instructs the student to rinse their mouth after corticosteroid inhaler use.				

Mastery is 100% accuracy on return demonstration.

Initials in the space(s) above indicate:

I have been trained to and accept responsibility for performing tasks initialed above in accordance with each student's Individualized Healthcare Plan when the school nurse is not available. I understand I need to maintain my skills and that the school nurse will regularly assess my performance to identify any needs for review or repetition of the training I have received to perform this/these skills. I have had the opportunity to ask questions and received satisfactory answers.

I am currently certified in First Aid CPR

I have received advanced training in Bloodborne Pathogens.

Trainee Signature: _____ Initials: _____ Date: _____

I have assessed the Trainee's skills to determine the success of the training I provided. Based on this assessment, it is reasonable and prudent for the Trainee to perform medication administration if I am not available. This is in effect for the current school year with reassessments every 90 days.

School Nurse Signature: _____ Initials: _____ Date: _____

Appendix D

SAMPLE Medication Authorization Form – Prescription Long Term (page 1 of 2)

Student _____ Grade _____
School _____ Birthdate _____
Allergies (Medications) _____



Note: Prescription Medication must be in the original container indicating the following information: student name, dosage, healthcare provider, pharmacy, date issued, and prescription number.

Parent Statement : I request that the prescription medication listed below be given to my child named above.

- I understand that only current medications will be given at school.
- I understand that in the absence of the school nurse, other trained school staff may administer medication.
- I agree to defend and hold the school district employees harmless from any liability for the results of the medication or the manner in which it is administered, and to defend and indemnify the school district and its employees for any liability arising out of these arrangements.
- I give permission for the school nurse to contact the health care provider regarding this treatment.
- I will notify the school immediately if the medication is changed and understand that the nurse may contact the health care provider or pharmacist regarding this medication.
- I understand that this medication will be destroyed unless picked up by the end of the last student school day of this year per federal DEA requirements.

Parent/Guardian Signature _____ Date _____
Home phone _____ Work/Emergency Phone _____
Other medications your child is taking _____

Healthcare Provider Statement : This medication is required during school hours to improve or maintain the health of this student. The nurse may contact me regarding this medication. The above named child should receive prescribed medication for the following condition: _____

- Medication _____
- Prescribed daily dosage _____
- Time and dosage given at school _____
- Beginning date of medication _____ Ending Date _____
- Possible side effects _____
- Special instructions for administration _____

Healthcare Provider Signature _____ Date _____
Printed Name _____ Phone _____
Healthcare Provider Address _____
Healthcare Provider Email _____

School Nurse Signature _____ Date _____
Phone _____ Fax _____ Email _____

Appendix D

SAMPLE Medication Authorization Form – Prescription Long Term (page 2 of 2)

Student _____ Grade _____ Birth date _____

Initial	Signature

Date, Amount of Med, Count Verified (initials)				
Month	Week 1	Week 2	Week 3	Week 4
AUG				
SEPT				
OCT				
NOV				
DEC				

Date, Amount of Med, Count Verified (initials)				
Month	Week 1	Week 2	Week 3	Week 4
JAN				
FEB				
MAR				
APR				
MAY				

Date, amt of incoming med	Date, amt of incoming med

Medication					Dose			Time			
Month	Month	Month	Month	Month	Month	Month	Month	Month	Month		
Day	Time/Init.	Day	Time/Init.	Day	Time/Init.	Day	Time/Init.	Day	Time/Init.	Day	Time/Init.
1					1			1			
2					2			2			
3					3			3			
4					4			4			
5					5			5			
6					6			6			
7					7			7			
8					8			8			
9					9			9			
10					10			10			
11					11			11			
12					12			12			
13					13			13			
14					14			14			
15					15			15			
16					16			16			
17					17			17			
18					18			18			
19					19			19			
20					20			20			
21					21			21			
22					22			22			
23					23			23			
24					24			24			
25					25			25			
26					26			26			
27					27			27			
28					28			28			
29					29			29			
30					30			30			
31					31			31			

Appendix F

SAMPLE Medication Authorization Form – Prescription Short Term

Student _____ Grade _____
 School _____ Birthdate _____
 Allergies (Medications) _____



As parent/guardian of the above named student, I request the School District to give medicine for the following condition(s). This medication request must be deemed necessary to maintain or improve health and participation in the school program. Each request will be assessed for the most appropriate intervention and will be given at the standard dosage recommended by manufacturer. (Check all that apply)

Condition: Headache Cramps Dental Other: _____

Medicine: Acetaminophen Ibuprofen Naproxen Midol/Premysyn/Pamprin

Other _____

Dose: _____ Frequency: _____ (if less than manufacturer’s recommended dose)

Specify Time: _____ or As Needed: _____ Side Effects _____

Special Instructions for Administration _____

I understand that the school is not legally obligated to administer medication to my child. Therefore, I agree to defend and hold harmless, the school district and its employees from any liability for the results of the medication or the manner in which it is administered, and to defend and indemnify the school district and its employees for any liability arising out of these arrangements. I understand that in the absence of the school nurse, other trained school staff will administer the medication. I will notify the nurse if I give this medication to my child before arrival at school while this request is in effect to prevent overmedicating. I also affirm that my child has taken this medicine at least two times in the past without any adverse side effects. I agree to supply medication for my student in its original packaging (small bottles only, please). I understand that the medicine will be destroyed unless picked up by the end of the last student school day of this year.

Medicines will not be kept by the school over the summer break per DEA regulations.

Parent/Legal Guardian Signature: _____ Printed Parent Name: _____ Date: _____

Over the Counter Medication Administration Record

Date/Time/Med/Initials	Date/Time/Med/Initials	Date/Time/Med/Initials	Date/Time/Med/Initials

Initials _____ Name _____

Initials _____ Name _____

Initials _____ Name _____

Initials _____ Name _____

School Nurse Signature _____ Date _____

Phone _____ Fax _____ Email _____

Appendix G

SAMPLE Medication Error Reporting Form

Student: _____ DOB: _____

School: _____ Grade: _____ Date of Error: _____

Medication: _____ Dosage: _____ Time Due: _____

Reason for report: (check all that apply)

Missed medication: _____

Wrong time: Late = >45 past due Early = > 45 before time due

Wrong student

Wrong route

Other: _____

Provide detailed report of how the error occurred:

List any Witness(s): _____

Describe how this can be avoided in future/corrected: _____

Action Taken/Intervention:

Building Nurse: _____ Notified: Yes No

Notification Time: _____ Notification Date: _____

Parent/Guardian Notified: _____ Yes No Time & Date: _____

Name: _____ Phone: _____

Student's HCP Notified (if needed): Yes No Time & Date: _____

Nursing Supervisor/Coordinator Notified: Yes No Time & Date: _____

Printed Name of Reporter: Signature _____ Date: _____

Building Principal Signature: _____ Date: _____

Disposition & Follow-Up: _____

Appendix H

Common Metric Measurements

It is important to have some knowledge of the metric system when working with medications.

Most capsules and tablets are in milligrams (mg) or grams (gm)

- 1000 mg = 1 gram
- 500 mg = 0.5 gram
- 250mg = 0.25 gram

Liquid Measurement (Volume of Drug)

- 1 mL = 1cc
- 2 ½ mL – ½ teaspoon (tsp)
- 5 mL – 1 teaspoon (tsp)
- 15mL – 3 teaspoon (tsp)
- 30 mL – 1 fluid ounce
- 60 mL – 2 fluid ounces

Abbreviations Commonly Used in Prescriptions

- am – morning
- h or hr – hour
- HS – at bedtime
- mL – milliliter
- pm – afternoon, evening
- po – by mouth, orally
- prn – as needed
- tab – tablet
- Tbsp – tablespoon
- Tsp – teaspoon

Appendix J

Universal Precautions Handout

I. Overview

Occupational Health and Safety Administration's (OSHA) Universal Precautions refers to a set of protocols for handling body fluids properly to protect against bloodborne pathogens. Bloodborne pathogens are infectious microorganisms in human blood that can cause disease in humans. These pathogens include but are not limited to hepatitis B (HBV), hepatitis C (HCV), and human immunodeficiency virus (HIV). Bloodborne pathogens can be found in blood, semen, vaginal secretions, and breast milk. Body fluids that do NOT pose a risk of bloodborne pathogen transmission unless visibly contaminated with blood include: urine, stool, saliva, emesis, nonpurulent respiratory secretions, tears, sweat or nasal discharge. Even though these other body fluids may not contain bloodborne pathogens, other infectious pathogens that cause other diseases may be present. Therefore, all blood, body fluids, secretions (including respiratory secretions), excretions (except sweat), non-intact skin and mucous membranes should be handled in a way that will prevent contamination with transmissible infectious agents (NOTE: this method is the Center for Disease Control and Prevention's Standard Precautions which evolved from Universal Precautions with additional protective standards).

These precautions include protocols to treat all body fluids as if they are contaminated. Protocols include:

- Good hand washing technique
- Personal Protective Equipment (PPE)
- Cleaning and disposing of body fluids

II. Supplies (for the purpose of medication administration):


- A. Warm, running water.
- B. Liquid soap.
- C. Paper towels.
- D. Plastic-lined and covered waste containers.
- E. Alcohol-based hand sanitizer, if running water not accessible
- F. Disposable gloves designed for medical use (latex or, because of the potential for allergy, non-latex [e.g., nitrile]).
- G. Brooms and dustpans.
- H. Approved germicidal solutions.

III. Procedures

A. Hand Washing

Hands must be washed with soap and water prior to beginning and after any planned procedure or when hands are visibly soiled. Good hand hygiene is the single-most effective procedure to prevent the spread of communicable disease in the school setting.

Hand Care

Essential Steps	Key Points-Precautions
A. Wet hands using warm, running water.	Warm water combined with soap makes better suds than cold water. Running water is necessary to carry away dirt and debris that contain microorganisms.
B. Apply liquid soap and lather well.	Bacteria can grow on bar soap and in soap dishes. Use plain non-antimicrobial liquid soap for most circumstances; use anti-microbial soap for specific circumstances, e.g., control of outbreaks or infections.
C. Rub hands together in a circular motion for 20 seconds.	Friction from rubbing hands together along with the effect of the soap loosening of the germs from the skin work together with the running water for good hand hygiene. Front and back of hands, between fingers and knuckles, under nails, and the entire wrist area are washed.
D. Rinse hands well under running water.	Let water drain from wrists to fingertips.
E. Dry hands thoroughly with an air dryer or pat them dry with a fresh paper towel.	Use paper towels to turn off the water faucet, to open any exit door and to turn off bathroom lights. Dry skin may be cracked and potentially harbor microorganisms. Lotion is recommended after several hand washings.
OR	
A. Apply alcohol-based hand rub to the palm of one hand, then rub hands together covering all surfaces of hands and fingers until dry.	Hand sanitizers should never replace standard hand washing with soap and water but ethanol alcohol-based hand sanitizer can be used when hand washing facilities are not available. Hand sanitizers must have an alcohol base of at least 60% in order to be effective. Apply enough of the product (fragrance-free gel or foaming form preferred) to the palm of the hand that will wet the hands for at least 15 seconds (or longer according to the manufacturer).
B. Wash hands with soap and water as soon as possible.	Follow directions on the label to determine how many applications are recommended before washing hands with soap and water.
C. Gloves – Use and Removal Gloving prevents blood and body fluids that may contain disease-producing microorganisms, from coming in contact with the caregiver's skin and prevents the spread of microorganisms to others.	
Essential Steps	Key Points-Precautions
A. Wash hands.	Refer to Hand Washing procedure.
B. Apply gloves to both hands.	Individuals with open skin lesions should cover lesions with waterproof bandage prior to applying the gloves. Ensure gloves are intact without tears.
C. Gloves must be worn during entire time when handling body fluids.	Gloves are most often worn during diapering, administering first aid and certain medications, and cleanup of body fluids. Do not touch items with contaminated gloves that you or other people will be touching with your hands later. For example: water faucets, doorknobs, counter tops or other clothing.
D. To remove gloves after use: 1. Grasp outside of glove with opposite gloved hand; peel off; 2. Hold removed glove in gloved hand; 3. Slide ungloved fingers under the remaining glove at the wrist; peel off and discard. 4. Drop gloves into plastic-lined trash container.	Do not touch skin with contaminated gloves. 
E. Repeat hand washing.	Refer to Hand Washing procedure in this handout.
F. Cleaning and Disposing of Body Fluids	Items soiled with blood, body fluids, secretions, or excretions should be handled, transported, and processed in a manner that prevents skin and mucous membrane exposure and contamination of clothing.

Essential Steps	Key Points-Precautions
A. Wash hands.	Refer to Hand Washing procedure in this handout.
B. Put on gloves when handling or touching body fluids, mucous membranes or non-intact skin of others in the school setting, or handling items or surfaces soiled with body fluids.	<ul style="list-style-type: none"> Refer to Gloves - Use and Removal procedure in this handout. Individuals with open skin lesions should cover lesions with a waterproof bandage prior to applying the gloves.
C. Sharp items (e.g., needles, lancets) must be handled with extreme care to avoid puncturing the skin.	Sharp items are regulated waste and should be disposed of in a sharps container labeled BIOHAZARD. Regulated waste should then be disposed of according to school district policy.
D. Blood and other body fluids can be flushed down the toilet or carefully poured down a drain connected to a sanitary sewer.	
E. Other items for disposal that are contaminated with blood or other body fluids that cannot be flushed down the toilet should be placed in a lined waste receptacle. <ul style="list-style-type: none"> If saturated to the point of releasing blood or other body fluids if compressed (regulated waste), place in closable plastic container that is: <ul style="list-style-type: none"> Constructed to contain all contents and prevent leakage during handling, storage, transport or shipping Labeled with the standard fluorescent orange or orange-red BIOHAZARD label or color-coded in red bags or red containers <p>Immediately tie off the bag from the trash receptacle and dispose of it in appropriate general waste away from students.</p>	<p>Immediately tie off the bag from the trash receptacle and dispose of it in appropriate general waste away from students.</p> <p>Bandages that are not saturated to the point of releasing blood or other potentially infectious materials if compressed would not be considered regulated waste. Regulated waste should then be disposed of according to school district policy.</p>
<ul style="list-style-type: none"> Closed before removal to prevent spillage or protrusion during handling, storage, transport or shipping. Placed in a secondary container if leakage is possible. 	
F. Body fluid spills should be cleaned up promptly, removing all visible debris first.	Wipe up as much of the visible matter as possible with disposable paper towels and carefully place them in a leak-proof plastic bag that has been securely tied or sealed. This prevents multiplying of microorganisms.
G. For hard surfaces, immediately use a detergent to clean the spill area and follow with a disinfectant.	
H. For soft, non-washable surfaces, such as rugs and upholstery, apply sanitary absorbing agent, let dry, and vacuum.	<p>Cover spills with absorbent material, leave for a few minutes to absorb, gently sweep up and discard in a plastic bag or vacuum.</p> <p>Blot to remove body fluids from the fabric or carpet as quickly as possible; then disinfect by spot-cleaning with a combination detergent/ disinfectant, and shampooing, or steam-cleaning the contaminated surface.</p>
I. Handle soiled, washable material (i.e., clothing and towels) as little as possible, at the location where it was used.	<p>Send soiled clothing home with the student in a sealed, plastic bag.</p> <p>Wash and dry contaminated school-owned towels separately from non-contaminated laundry. Wash in soap and hot water (140-160 degrees F) AND either liquid sodium hypochlorite bleach or dry bleach (which will not affect fabric colors). Dry on warm temperature setting.</p>
J. Rinse non-disposable cleaning equipment (dustpans, buckets), clean with detergent followed by the disinfectant.	Non-disposable rags or mops should be treated as contaminated laundry.
K. Remove and discard gloves into covered, plastic-lined waste container.	Refer to Gloves - Use and Removal procedure in this handout.
L. Wash hands.	Refer to Hand Washing procedure in this handout.

Appendix K

Confidentiality Handout

- I. Overview: Student confidentiality is maintained in all written and verbal communications, in accordance with the Family Educational Rights and Privacy Act (FERPA) regulations. Confidentiality is the obligation not to disclose willingly any information obtained in confidence. Basic principles include: respect for an individual's right to privacy; respect for human relationships in which personal information is shared; appreciation of the importance of confidentiality to both individuals and society; and expectations that those who pledge to safeguard confidential information will do so. Confidential information may include, but is not restricted to, disclosures of health information including the student's identity, medical condition(s), physical, mental or emotional abuse; family problems; substance abuse; criminal behavior; sexual activity; or suicidal thinking. As trained unlicensed school staff, the confidential nature of information concerning students must be respected. Confidential information may be exchanged only to authorized personnel or agencies directly concerned with the students' welfare (school nurse, nurse sub or school principal/ administrator).
- II. Supplies – FERPA regulations
- III. Procedures – Trained unlicensed school staff should:
 - a. Consult and collaborate with the school nurse and/or school administrator for purposes of more effectively helping the student. Staff should share only such information that will serve the student's best interests, and divulge the student's name only when necessary.
 - b. Consult with the school nurse or school administrator before making a decision if in doubt to the reasonableness of a course of action regarding the sharing of confidential information.
 - c. Share information verbally with other professional colleagues rather than giving them copies of notes and ensure that colleagues respect the confidential nature of the information being shared.
 - d. Take care, when sharing information about students that the information is accurate and unbiased.
 - e. Guard against sharing confidential information in halls, staff rooms or other public places where persons who do not need to know can overhear it.
 - f. Not leave reports, student service records, computer files or log books where unauthorized people can have access to them.
 - g. Keep accurate and objective records to facilitate the provision of services to students. Failure to keep records is negligence. Notes should be made as immediately as possible to the time of the event(s), and the original notes should never be changed. Any additions should be initialed, signed and dated.
 - h. Make the student aware that confidential information is being recorded, share such information with the student and clarify the information with student, school nurse, or administrator, if needed.
 - i. Take care that individual student records are kept in a secure location.

Appendix L

SAMPLE Medication Administration Delegation Plan

Student

Trained staff person	Medication	Route 1 (injectables, PRN controlled substances are non-delegable by RN)		Time
Nurse	Storage instructions	<input type="checkbox"/> Oral <input type="checkbox"/> Otic <input type="checkbox"/> Topical	<input type="checkbox"/> Ophthalmic <input type="checkbox"/> Intranasal <input type="checkbox"/> Inhaled	<input type="checkbox"/> Scheduled <input type="checkbox"/> As needed Time frame 2
Predicted outcomes:		Unexpected outcomes (i.e., potential side effects, contraindications, medication, interactions):		Plan for unexpected outcomes 3:
Documentation plan 4:			Change mediation plan:	
Date delegated:	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	

Improvement plan:

- | | |
|--|---|
| <ol style="list-style-type: none"> 1 Provide trained staff with general steps for medication administration and route administration procedures 2 Indicate time frame for administration, not to exceed 45 minutes 3 Indicate observing for and responding to unexpected outcomes and procedure for reporting | <ol style="list-style-type: none"> 4 Indicate where documentation should occur 5 Indicate how any change in medication (e.g., dose, time, provider orders) will be communicated |
|--|---|

Trained staff person	Medication	Route 1 (injectables, PRN controlled substances are non-delegable by RN)		Time
Nurse	Storage instructions	<input type="checkbox"/> Oral <input type="checkbox"/> Otic <input type="checkbox"/> Topical	<input type="checkbox"/> Ophthalmic <input type="checkbox"/> Intranasal <input type="checkbox"/> Inhaled	<input type="checkbox"/> Scheduled <input type="checkbox"/> As needed Time frame 2
Predicted outcomes:		Unexpected outcomes (i.e., potential side effects, contraindications, medication, interactions):		Plan for unexpected outcomes 3:
Documentation plan 4:			Change mediation plan:	
Date delegated:	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	90 day evaluation date: Continue delegation: <input type="checkbox"/> yes <input type="checkbox"/> no	

Improvement plan:

- | | |
|--|---|
| <ol style="list-style-type: none"> 1 Provide trained staff with general steps for medication administration and route administration procedures 2 Indicate time frame for administration, not to exceed 45 minutes 3 Indicate observing for and responding to unexpected outcomes and procedure for reporting | <ol style="list-style-type: none"> 4 Indicate where documentation should occur 5 Indicate how any change in medication (e.g., dose, time, provider orders) will be communicated |
|--|---|

Appendix M

Sample Herbal & Non-Herbal Nutritional Supplement Authorization

It is the policy of the NAME OF SCHOOL District that Herbal and Non-Herbal Nutritional Supplements may be dispensed in school only when the student's health requires that the herbal and non-herbal nutritional supplement be given during school hours. Herbal and non-herbal supplements to be dispensed at school must be in an original, unopened package with the manufacturer's seal intact, and administered before the expiration date. This form must be signed by the prescribing health care provider AND a pharmacist and is required for all herbal and non-herbal supplement administration. This form must be updated annually. All herbal and non-herbal supplements will be destroyed unless picked up by the end of the last student school day of this year.

School Nurse: _____ School _____ Phone: _____ Fax: _____

Name of student _____

Herbal or Non-Herbal Supplementation name _____

Dosage, route of administration _____ Time to be given at school _____

For treatment of _____ Other medications _____

Possible adverse effects or interactions with food, medications, or other substances _____

Special instructions _____

Date prescribed _____ Date of discontinuance _____

Date _____ Phone and Fax Numbers _____

Health Care Provider Signature _____ Printed Name _____

TO BE COMPLETED BY THE PARENT/GUARDIAN & PHARMACIST, THEN RETURNED TO THE SCHOOL NURSE BEFORE HERBAL OR NON-HERBAL NUTRITIONAL SUPPLEMENTS MAY BE ADMINISTERED

The above identified medications and herbs or non-herbal supplements have been reviewed for adverse effects or interactions with food, medications, or other substances. There are no adverse interactions to report.

Pharmacy _____ Date _____

Pharmacist Signature _____ Printed Name _____

I hereby give permission for my child to receive the above listed herbal or non-herbal supplement at school and/or during school sponsored activities, as prescribed by my child's health care provider and reviewed by a pharmacist. Permission is also given for the school nurse to contact the health care provider or pharmacist regarding this treatment. I understand all herbal and non-herbal supplements will be administered by the school nurse or designated school employee in the absence of the school nurse. The school nurse will train the following staff. I delegate the staff members listed below the task of administering prescribed herbal or non-herbal supplement in the absence of a registered nurse.

Staff Members Trained	Title	Location/Room #	Trained By

Parent/Guardian Signature _____ Date _____

Appendix N

SAMPLE Field Trip Coordinator Checklist

Pre-planning

- Submit a list of planned field trips to the healthcare personnel/medication designee at the beginning of the school year and throughout the year as new field trips are planned.
- Meet with the healthcare personnel/medication designee regarding student medical needs.
- Determine if medication/procedure can be delegated to school staff.
- If medication/procedure cannot be delegated to school staff, an inquiry may be made to the parent/guardian to see if they would like to attend. The parent/guardian are not required to attend for their child to participate in the field trip.
- It is the responsibility of the school to arrange for nursing services if parent/guardian is unable to attend.
- Check with the healthcare personnel to obtain a list of school staff trained in daily and emergency medication administration.
- When planning for lunch/snacks, determine if there are any students with food allergies and if there are any emergency healthcare plans in place for those students.
- If there is a medical concern checked off by parent/guardian on the permission slip, share this information with the healthcare personnel or medication designee in the school health room.

On Day of Trip

- Meet with the healthcare personnel/medication designee and sign out all necessary student medications. Collect copies of Authorizations for Medication/Treatments, Emergency Care Plans, First Aid supplies, and any other supplies needed to provide for the medical needs of each student participating on the field trip.
- The nurse/health assistant assigned to attend the field trip to administer medications is not permitted to chaperone other students. The nurse/health assistant must be available to care for the more complex needs of student(s) requiring health services.
- Document any medications/treatments on the Student Medication Log or Diabetes Log as soon as the medication is administered.

Post Field Trip

- Return all medications, care plans, first aid kits and all confidential information to the healthcare personnel or medication designee for health room immediately after the field trip or on the following day, if the field trip extends past normal school hours.
- Sign medication back in on the Field Trip Medication Sign In/Out Record.

Appendix O

SAMPLE Field Trip Roster

Teacher _____ Grade: _____ Date/time of field trip: _____

Student's Name	Condition	Medication
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

Please submit this form to healthcare personnel or medication designee for health room.

Appendix P

SAMPLE Field Trip Medication Sign In/Out Record

Student: _____ D.O.B: _____ Grade: _____

School: _____ Teacher: _____

Field Trip Location _____

Departure date/time _____ Return date/time _____

School Nurse or Medication Designee

I have identified that the following students may require medication during the field trip described below. I have prepared a copy of the medication log and Authorization for Medication/Treatment form and verified it with each original medication container.

Signature _____ Printed Name _____ Date _____ Time _____

Medication/s	Dosage	Time to be administered
1.		
2.		
3.		
4.		
5.		

Medication Trained Designee Signature	Sign Out date/time
_____	_____

Medication Trained Designee Signature	Sign Out date/time
_____	_____

Medication Trained Designee Signature	Sign Out date/time
_____	_____

Resources

Online information can be incorrect unless the source is reputable. Drug companies and health care institutions provide accurate information. General reputable online options for information on drug dosing, contraindications, interactions, adverse reactions, safety and pill identification include:

- Epocrates Rx Online
- Drugs.com
- Medscape Drugs, OTCs & Herbals
- WebMD Drugs & Medications
- MedicineNet.com
- National Center for Biotechnology Information
- National Center for Complementary and Alternative Medicine

Reference handbooks

- Physicians' Desk Reference 2012
- PDR Pocket Guide to Prescription Drugs, 9th Edition

References

1. National Association of School Nurses. (2021). Medication Administration Clinical Practice Guidelines in the School. Author. <https://www.pathlms.com/nasn/courses/33787>.
2. Van Cleave, J., Gortmaker, S.L., Perrin, J.M. Dynamics of obesity and chronic health conditions among children and youth. JAMA: 2010; 303; 623-630.
3. American Academy of Pediatrics. Policy Statement: Guidance for the Administration of Medication in School. Pediatrics. 2009;124(4):1244–1251. Reaffirmed February 2013. Available at: <https://doi.org/10.1542/peds.2009-1953>
4. National Association of School Nurses. (2019). Nursing Delegation in the School Setting. (Retired Position Statement). Silver Spring, MD: Author. Available at:
5. National Association of School Nurses. (2020). Use of individualized healthcare plans to support school health services (Position Statement). Silver Spring, MD: Author. Available at: <https://www.nasn.org/nasn-resources/professional-practice-documents/position-statements/ps-ihps>
6. Missouri Department of Health and Senior Services. (2020). Medication Administration in Missouri Schools. Guidelines for Developing Training Practice. Available at: <https://health.mo.gov/living/families/schoolhealth/pdf/MedicationManual.pdf>
7. U.S. Department of Education. Family Educational Rights and Privacy Act (FERPA). Available at: <http://www2.ed.gov/policy/gen/guid/fpco/ferpa/index.html>.
8. U.S. Department of Labor. Occupational Safety & Health Administration. Available at: <http://www.osha.gov/>.
9. Alaska Department of Commerce, Community and Economic Development. Division of Corporations, Business and Professional Licensing. Statutes and Regulations Nursing. January 2022. Available at: <https://www.commerce.alaska.gov/web/Portals/5/pub/NursingStatutes.pdf>.
10. Alaska State Legislature. AS 14.30.141. Self-administration and documentation of medication. Available at: http://www.legis.state.ak.us/basis/get_bill_text.asp?hsid=HB0085Z&session=24.
11. Alaska State Legislature. AS 14.12.115. Indemnification. Available at: <http://www.legis.state.ak.us/basis/statutes.asp?title=14#14.12.115>.
12. Alaska State Legislature. AS.09.65.090. Civil liability for emergency aid. Available at: <http://www.legis.state.ak.us/basis/statutes.asp?title=9#09.65.090>.
13. Alaska Board of Nursing. Approved Medication Administration course. Available at: http://www.dced.state.ak.us/occ/pub/NUR_Approved_Medication_Course.pdf.
14. American Academy of Pediatrics, American Public Health Association, National Resource Center for Health and Safety in Child Care and Early Education. CFOC Standards Online Database. Aurora, CO; National Resource Center for Health and Safety in Child Care and Early Education; 2020. Available at: <http://nrckids.org>
15. Kansas Department of Health & Environment. Bureau of Family Health, Children and Families Section. Guidelines for Medication Administration in Kansas Schools. June 2010. Available at: http://www.ksno.org/wp-content/uploads/2014/04/2010_GUIDELINES_FOR_MEDICATION-1
16. Maine Department of Education. Training of Non-Licensed School Personnel in Medication Administration. Instructor's Manual. August 2005. Available at: https://www11.maine.gov/doe/sites/maine.gov/doe/files/inline-files/non_licensed_personnel_instructor_manual.pdf.
17. State of Alaska. Department of Education & Early Development. Model Records Retention Schedule for Alaska School Districts. Available at: <https://archives.alaska.gov/documents/rims/schedules/400-1.pdf>. Accessed on June 13, 2012.

18. WebMD. Eye Health. What is Eye Ointment. Available at: <https://www.webmd.com/eye-health/what-is-eye-ointment>
19. Drug Information Online. [Drugs.com](http://www.drugs.com). How To Instill Eye Drops. Available at: <http://www.drugs.com/cg/how-to-instill-eye-drops.html>.
20. WebMD. Eye Health. How to Insert Eye drops. Available at: How to Insert Eye Drops. <https://www.webmd.com/eye-health/how-insert-eye-drops>
21. Drug Information Online. [Drugs.com](http://www.drugs.com). How To Instill Ear Drops. Available at: <http://www.drugs.com/cg/how-to-instill-ear-drops.html>.
22. Asthma & Allergy Network. How to Use a Metered Dose Inhaler. Available at: <https://allergyasthmanetwork.org/what-is-asthma/how-is-asthma-treated/how-to-use-a-metered-dose-inhaler>
23. Schwab NC, Gelfman MHB, eds. Legal Issues in School Health Services. A Resource for School Administrators, School Attorneys, School Nurses. Lincoln, NE: Authors Choice Press. 2005.
24. Anchorage School District. 2009 Student Allergy/Anaphylaxis Care Plan adapted from the Food Allergy Anaphylaxis Network, "Food Allergy Action Plan" and the Asthma and Allergy Foundation of America, Alaska Chapter. Available at: <https://dhss.alaska.gov/dph/wcfh/Pages/school/resources.aspx#pubs>
25. Asthma & Allergy Network Mothers of Asthmatics. Respiratory Inhalers. Poster. February 2009. Available at: <https://allergyasthmanetwork.org/news/inhalers-at-a-glance-posters-resources/>.
26. Medscape Reference. Drugs, Diseases & Procedures. Drugs, OTCs & Herbals. Available at: <http://reference.medscape.com/drugs>.
27. Finks K. Symptoms, Treatment, and Responses to Medications Used to Treat Depression. NASN School Nurse. 2012;27(4):205-207. Available at: <https://journals.sagepub.com/doi/10.1177/1942602X12450189>.
28. Drug Information Online. [Drugs.com](http://www.drugs.com). Available at: <http://www.drugs.com/>.
29. University of California Los Angeles. Center for Mental Health in Schools. Understanding Confidentiality. Excerpted from: Confidentiality – Protocol for Handling Issues of Confidentiality in Public Schools. Manitoba Teachers' Society. Available at: <http://www.smhp.psych.ucla.edu/pdfdocs/quicktraining/confidentiality.pdf>.
30. National Association of School Nurses. (2021). School Nursing Evidence-based Clinical Practice Guidelines: Medication Administration in Schools Implementation Toolkit. Authors. Available at: <https://www.pathlms.com/nasn/courses/36927>.

